Supersedes TM 9-1005-224-24P dtd Jul 87 &
-23P dtd Jan 86 4th

TM 9-1005-262-24P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: DOOR MOUNTED, LIGHTWEIGHT, M23 (1005-907-0720) (USED ON UH-1D HELICOPTER); ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: DOOR MOUNTED, LIGHTWEIGHT, M24 (1005-763-1404) (USED ON CH-47A HELICOPTER); AND ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: RAMP MOUNTED, LIGHTWEIGHT, M41 (1005-087-2046) (USED ON CH-47A HELICOPTER)

RECEIVED APR 5 1977
CFMS FILE COPY

HEADQUARTERS, DEPARTMENT OF THE ARMY

JUNE 1971

Digitized by:
SMALL ARMS OF THE WORLD
SMALLARMSOFTHEWORLD.COM

TECHNICAL MANUAL
NO. 9-1005-262-24P

HEADQUARTERS,
DEPARTMENT OF THE ARMY
Washington, D. C., 11 *June 1971*

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23; ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24; AND ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41

This manual is current as of 27 April 1971

			Paragraph	Page
Section	I.	LIST OF ILLUSTRATIONS		ii
		INTRODUCTION		1
		Scope	1	1
		General	2	1
		Explanation of columns	3	1
		Special information	4	3
		How to locate repair parts	5	3
		Abbreviations	6	4
		Federal supply codes for manufacturers	7	4
		Recommendations for maintenance publication improvements	8	4
Section	II.	PRESCRIBED LOAD ALLOWANCE		5
Section	III.	ORGANIZATIONAL REPAIR PARTS LIST		13
Section	IV.	ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT LIST		23
Section	V.	DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST		27
Section	VI.	DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST		43
Section	VII.	INDEX — FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		46

***This manual supersedes that portion of TM 9-1005-262-15, dated 20 February 1968, pertaining to organizational, direct, and gneral support maintenance repair parts.**

LIST OF ILLUSTRATIONS

Number	Title	Page
1.	Components of Armament Subsystem M23	52
2.	Components of Armament Subsystem M24	53
3.	Components of Armament Subsystem XM41	53
4.	7.62 Millimeter Machine Gun M60D — Partially Exploded View (Sheet 1 of 2)	54
4.	7.62 Millimeter Machine Gun M60D — Partially Exploded View (Sheet 2 of 2)	55
5.	Barrel Assembly with Bipod Assembly — Partially Exploded View	55
6.	Bipod Assembly — Partially Exploded View	56
7.	Cover Assembly — Exploded View	57
8.	Cartridge Tray Assembly — Exploded View	58
9.	Grip and Trigger Assembly — Partially Exploded View	59
10.	Rear Sight Assembly — Exploded View	60
11.	Sear and Safety Housing Assembly — Exploded View	61
12.	Breech Bolt Assembly — Exploded View	61
13.	Operating Rod Assembly — Partially Exploded View	62
14.	Handle Assembly — Exploded View	62
15.	Ejection Control Bag — Partially Exploded View	63
16.	Mount Assembly M23 — Exploded View	64
17.	Pintle Post Assembly — Exploded View	65
18.	Ammunition Box and Cover Assembly — Exploded View	65
19.	Flexible Chute Assembly — Partially Exploded View	65
20.	Chute Brace Assembly — Exploded View	66
21.	Ammunition Can Assembly — Partially Exploded View	66
22.	Mount Assembly M24 — Exploded View - Left Side Shown	67
23.	Rear Ramp Mount Assembly M41 — Exploded View	68
24.	Combination Screwdriver and Reamer Wrench — Exploded View	68
25.	Tools and Equipment (sheet 1 of 2)	69
25.	Tools and Equipment (sheet 2 of 2)	70

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

Section I. INTRODUCTION

1. Scope.

This manual lists repair parts, special tools, and equipment required for the performance of organizational, direct support, and general support maintenance of the Armament Subsystems M23, M24 and M41.

2. General.

The repair parts and special tools lists are divided into the following sections:

a. Prescribed Load Allowance (PLA)—Section II. A composite listing of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

b. Repair Parts (Organizational)—Section III. A list of repair parts authorized for the performance of maintenance at the organizational level, in figure and item number sequence.

c. Organizational Tools, Test and Support Equipment—Section IV. A list of tools, test, and support equipment authorized for the performance of maintenance at the organizational level.

d. Direct Support and General Support repair parts list—Section V. A list of repair parts authorized for the performance of maintenance at the direct support and general support levels, in figure and item number sequence.

e. Direct Support and General Support Tools, Test and Support Equipment—Section VI. A list of tools, test and support equipment authorized for the performance of maintenance at direct support and general support levels.

f. Federal Stock Number and Reference Number Index—Section VII. A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all the listings, in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns.

The following provides an explanation of columns in the tabular lists in Sections II through VII.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source Code. Indicates the selection status and source for the listed item. Source codes used are:

Code	*Explanation*
P	Repair parts which are stocked in or supplied from the GSA / DSA, or Army supply system and authorized for use at indicated maintenance categories.
P2	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
P10	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR380-41, and which are stocked and supplied by the Army COMSEC logistic system.
M	Repair parts which are not procured or stocked, but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but which are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.

Code	*Explanation*
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance Code. Indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	*Explanation*
C	Operator / Crew maintenance
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability Code. Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	*Explanation*
R	Repair parts (assemblies and components) which are considered economically reparable at direct and general support maintenance levels. When the maintenance capability to repair these items does not exist, they are normally disposed of at the general support level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced on an exchange basis.
S	Repair parts and assemblies which are economically reparable at DSU and GSU activities and which are normally furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. The abbreviation "w / e" when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses. Repair parts quantities included in the kits, sets, and assemblies are shown in front of the repair part name. Usable on Codes are explained in paragraph 4.

d. Unit of Measure (U / M). A 2 character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit. Indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

f. 15—Day Organizational Maintenance Allowances.

(1) The Allowance Columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of the item authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15—day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to: Commanding General, Headquarters, U. S. Army Weapons Command, ATTN: AMSWE-MAP, Rock Island, Illinois 61201, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the U. S. Army Weapons Command based upon engineering experience, demand data or TAMMS information.

g. 30—Day DS / GS Maintenance Allowances. *NOTE: Allowances in GS Column are for GS Maintenance only.*

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of the item authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS / GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

h. 1-year Allowances Per 100 Equipment / Contingency Planning Purposes. Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

i. Depot Maintenance Allowance Per 100 Equipments. Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

j. Illustration.

(1) Figure Number. Indicates the figure number of the illustration in which the item is shown.

(2) Item Number. Indicates the callout number used to reference the item in the illustration.

4. Special Information.

a. Identification of the Usable on Codes included in Column 3 of Sections III, IV, V, and VI of this publication are:

Code	*Used on*
A	Armament Subsystem M23
B	Armament Subsystem M24
C	Armament Subsystem M41
D	Armament Subsystems M23 and M24
E	Armament Subsystems M24 and M41

Absence of a Usable on Code indicates item is used on each of the Armament Subsystems M23, M24, and M41.

b. Action Change Codes indicated in the left hand margin of the listing page denote the following:

N	Indicates an added item not included in previous publications.
C	Indicates a change in data.
F	Indicates a change in FSN only.

c. The illustrations referenced in the organizational repair parts list are those prepared for the DS / GS repair parts list; however, only those parts assigned a maintenance code "O" are listed and only those parts are authorized for requisitioning by organizational personnel.

d. In addition to Direct and General Support maintenance repair parts, Depot maintenance repair parts also are listed in the DS / GS section of this manual.

e. The following publications pertain to the Armament Subsystems M23, M24, and M41 and their components.

TM 9-1005-262-15	Operator, Organizational, Direct Support, General Support, and Depot Maintenance Manual (Including Repair Parts and Special Tools lists); Armament Subsystem M23, Armament Subsystem M24, and Armament Subsystem M41.
LO 9-1005-262-15	Lubrication Order; Armament Subsystem M23, Armament Subsystem M24, and Armament Subsystem M41.

5. How to Locate Repair Parts.

a. When Federal stock number or reference number is unknown.

(1) First. Using the table of contents, determine the functional subgroup, i.e., engine, engine assembly, transmission, transmission assembly, within which the repair part belongs. This is necessary since illustrations are prepared for functional groups or subgroups, and listings are divided into the same groups.

(2) Second. Find the illustration covering the functional group or subgroup to which the repair part belongs.

(3) Third. Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) Fourth. Using the Repair Parts Listing, find the functional group or subgroup to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference number is known:

(1) First. Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric

sequence, cross-referenced to the illustration figure number and item number.

(2) Second. Using the Repair Part Listing, find the functional group or subgroup of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations

Abbreviation	*Explanation*
BNDL	bundle
CAL	caliber
CTA	Common-type table of allowances
DIA	diameter
ENV	envelope
LG	long
LH	left hand
NOM	nominal
RH	right hand
THK	thick
TOE	Table of Organization and Equipment
TU	tube
UNF	Unified fine thread
W/E	with equipment
WP	waterproof

7. Federal Supply Codes for manufacturers.

Codes	*Manufacturers*
19204	Rock Island Arsenal, Rock Island, Illinois 61201
19205	*Springfield Armory, Springfield, Massachusetts
19207	Army Tank-Automotive Center, Warren, Michigan
80049	Dept. of the Air Force, Washington, D. C.
81348	Federal Specifications Promulgated by General Services Administration
81349	Military Specifications Promulgated by Standardization Div, Directorate of Logistic Services, DSA
88044	Aeronautical Standards Group, Dept. of Navy and Air Force
96906	Military Standards Promulgated by Standardization Div., Directorate of Logistic Services, DSA

8. Recommendations for Maintenance Publication Improvements.

Report of errors, omissions and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028, Recommended Changes to Publications, and forwarded direct to Commanding General, Headquarters, U. S. Army Weapons Command, ATTN: AMSWE-MAP, Rock Island Arsenal, Rock Island, Illinois 61201.

*Responsibility for Springfield Armory (19205) has been assumed by Rock Island Arsenal.

Section II. PRESCRIPBED LOAD ALLOWANCE

(1) Federal stock number	Description Usable on code	(3) 15-Day organizational maintenarice alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049				
1005-903-1088	BAG, EJECTION CONTROL..... 11699714 (19205)		1	1	2
	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091				
1005-903-1088	BAG, EJECTION CONTROL:..... 11699714 (19205)	..	REF	REF	REF
1005-903-1090	CAN ASSEMBLY, AMMUNITION: 11699679 (19205)	..	..	1	1
	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598				
1005-903-1088	BAG, EJECTION CONTROL:..... 11699714 (19205)	..	REF	REF	REF
1005-903-1090	CAN ASSEMBLY, AMMUNITION:..... 11699679 (19205)	..	..	REF	REF
	BAG, EJECTION CONTROL: 11699714				
1005-903-1039	SPRING, HELICAL, TORSION:..... 11699712 (19205)	..	1	1	2
1005-903-1040	LATCH, SAFETY, REAR BRACKET:..... 11699711 (19205)	..	1	2	3
1005-903-1146	BAG, EMPTY CARTRIDGE:..... 11699740 (19205)	..	1	2	4
5315-753-3635	PIN, SPRING: TABULAR, COILED..... 3/32 DIA, 3/8 LG MS51923-104 (96906)	..	1	1	2
5315-815-1405	PIN, COTTER:..... MS24665-151 (96906)	..	..	..	100
5315-903-1038	PIN, STRAIGHT, HEADED: 11699713 (19205)	..	1	1	2
	BARREL ASSEMBLY WITH 3IPOD ASSEMBLY 7269027				
1005-608-5004	EXTENSION, GAS CYLINDER:..... 7269030 (19205)	..	1	1	2
1005-608-5005	NUT, GAS CYLINDER:..... 7269031 (19205)	..	1	2	3
1005-875-4350	PISTON, GAS:..... 7791247 (19205)	..	1	2	3
1005-987-9907	PLUG, GAS CYLINDER:..... 7792093 (19205)	..	1	2	3
5310-608-5009	WASHER, KEY:..... 7269035 (19205)	1	3	6	10
9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	..	..	1	1
	BOLT ASSEMBLY, BREECH 11010357				
1005-608-5037	ACTUATOR ASSEMBLY, CAM:..... 7269063 (19205)	..	1	2	3
1005-608-5039	BEARING, FIRING PIN:..... 7269065 (19205)	..	1	1	2

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	BOLT ASSEMBLY, BREECH 11010357—Continued				
1005-608-5057	PLUNGER, EXTRACTOR: 7269083 (19205)	1	2	4	7
1005-608-5059	SPRING, HELICAL, COMPRESSION: 7269085 (19205)	2	6	13	22
1005-608-5060	SPRING, HELICAL, COMPRESSION: 7269086 (19205)	1	4	8	14
1005-608-5061	SPRING, HELICAL, COMPRESSION: 7269087 (19205)	..	1	2	4
1005-779-6030	EXTRACTOR, CARTRIDGE: 7790907 (19205)	1	4	8	14
1005-872-4442	EJECTOR, CARTRIDGE: 11010375 (19205)	2	6	13	22
1005-872-4443	PIN, FIRING: 11010376 (19205)	2	6	14	24
1005-872-4445	PLUG ASSEMBLY, BOLT: 7791523 (19205)	2	5	11	20
5315-839-0901	PIN, SPRING: MS39086-81 (96906)	..	..	1	1
5315-994-9648	PIN, LOCK: 7792920 (19205)	1	2	4	6
	BRACE ASSEMBLY, CHUTE 11699819				
1005-999-3053	CLAMP ASSEMBLY, SPRING RETAINER: 11699822 (19205)	..	1	1	2
1005-999-3054	SPRING, CHUTE BRACE ASSEMBLY: 11699823 (19205)	..	1	1	2
1005-999-3055	CLAMP ASSEMBLY, STUD: 11699825 (19205)	..	1	1	2
5310-263-2862	NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906)	..	1	2	3
5310-982-4988	NUT, SELF-LOCKING, HEXAGON: MS21045C4 (96906)	..	100	100	200
	CAN ASSEMBLY, AMMUNITION 11699679				
1005-903-1091	PLUNGER, HOLDING: 11699683 (19205)	..	1	1	2
1005-903-1092	SPRING, HELICAL, COMPRESSION: 11699684 (19205)	..	..	1	1
5315-013-7137	PIN, COTTER: 060 DIA, 1/8 OUTSIDE EYE DIA, 5/64 HOLE SIZE MS24665-814 (96906)	1	2	4	6
5315-087-8226	PIN, STRAIGHT, HEADED: MS20392-2C21 (96906)	..	..	1	1
5320-061-8216	RIVET, SOLID: MS20613-4P10 (96906)	..	..	1	1
	CHUTE AMMUNITION FLEXIBLE: 7.62 MILLIMETER 7792346-5				
1005-972-8126	LINK, AMMUNITION CHUTE: 7792343 (19205)	..	3	6	11
1005-972-8127	FITTING, BOX END: 7792344 (19205)	..	1	2	4
1005-972-8128	FITTING, GUN END: 7792345 (19205)	..	1	2	4

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	COVER ASSEMBLY 7269114				
1005-608-5118	LEVER, FEED: 7269145 (19205)	..	1	1	2
1005-608-5119	CLIP, SPRING LEVER: 7269146 (19205)	..	1	2	3
1005-608-5089	GUIDE, CARTRIDGE, FRONT: 7269116 (19205)	..	1	2	4
1005-608-5090	GUIDE, CARTRIDGE, REAR: 7269117 (19205)	..	1	2	4
1005-608-5093	PAWL ASSEMBLY, FEED: 7269120 (19205)	..	1	2	3
1005-912-1146	SPRING, HELICAL, TORSION: 11686315 (19205)	..	1	2	3
1005-999-6003	CAM ASSEMBLY, FEED: 11699814 (19205)	..	1	2	4
	GRIP AND TRIGGER ASSEMBLY 11699751				
1005-909-3012	SPRING, HELICAL, COMPRESSION: 11699756 (19205)	..	1	2	3
1005-909-3025	SPRING, HELICAL, COMPRESSION: 11699767 (19205)	..	1	2	4
1005-912-3628	KNOB AND PIN ASSEMBLY: 11699769 (19205)	..	..	1	1
5315-058-6079	PIN, SPRING: MS16562-127 (96906)	..	1	2	3
5315-909-3007	PIN, GROOVED, HEADED: 11699757 (19205)	..	1	2	3
5315-909-3026	PIN, SHOULDER, HEADLESS: 11699768 (19205)	..	1	2	3
5340-909-3033	CLIP, RETAINING SCREW: 11699772 (19205)	1	2	5	9
	MACHINE GUN, 7.62 MILLIMETER, M60D FLEXIBLE 11699750				
1005-608-5001	BARREL ASSEMBLY WITH BIPOD: 7269027 (19204)	1	2	5	9
1005-608-5214	LATCH, HINGE PIN: 7269243 (19205)	..	1	2	4
1005-608-5218	PIN, HINGE COVER: 7269247 (19205)	..	1	2	4
1005-608-5271	SPRING, HELICAL, COMPRESSION: 7269303 (19205)	2	5	11	20
1005-608-5172	GUIDE ASSEMBLY, DRIVE SPRING: 7269199 (19205)	2	7	16	29
1005-763-1863	BOLT ASSEMBLY, BREECH: 11010357 (19205)	2	6	13	22
1005-908-4141	BUFFER ASSEMBLY: 11010518 (19205)	..	1	2	4
1005-909-3003	NUT, SEAR LINK: 11699789 (19205)	..	1	2	3
1005-909-3011	ADAPTER, GUN: 11699793 (19205)	..	..	1	1
1005-909-3016	BOOT, DUST, AND MOISTURE SEAL: 11699787 (19205)	1	2	4	17
1005-909-3021	SPRING, LOCK, RETAINING PIN: 11699785 (19205)	..	1	2	3

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	MACHINE GUN, 7.62 MILLIMETER, M60D FLEXIBLE 11699750—Continued				
1005-909-3023	LINK AND SPRING, SEAR ASSEMBLY: 11699790 (19205)	..	1	2	4
1005-909-3024	GRIP AND TRIGGER ASSEMBLY: 11699751 (19205)	..	1	2	3
1005-912-3712	ROD ASSEMBLY, OPERATING: 11686309 (19205)	1	4	8	14
1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	..	1	2	4
1005-912-3627	CABLE, PIN, SAFETY: 8427869-7 (19205)	..	..	1	2
1005-987-9682	TRAY ASSEMBLY, CARTRIDGE: 7792096 (19205)	1	2	4	7
5315-761-6881	PIN, SPRING: MS16562-151 (96906)	..	1	2	3
5315-909-3006	PIN, GROOVED, HEADED: 11699788 (19205)	..	1	2	4
5340-913-5486	PIN, QUICK RELEASE: MS17990C519 (96906)	..	1	1	2
9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	..	..	REF	REF
	MOUNT ASSEMBLY (FOR M23 ONLY) 11699749				
1005-903-1034	BEAM, MOUNTING: 11699728 (19205)	..	1	2	3
1005-903-1036	BEAM, MOUNTING: 11699727	..	1	2	3
1005-903-1094	AMMUNITION BOX AND COVER ASSEMBLY: 11699743 (19205)	..	..	1	1
1005-940-9996	ADAPTER, AMMUNITION CHUTE: 11686424 (19205)	..	1	1	2
5305-952-1967	SCREW, CAP, SOCKET-HEAD: 3/8-24UNF, 1.150 LG MS24678-47 (96906)	..	1	2	3
5306-151-0528	BOLT, CLEVIS: AN24-26 (88044)	..	..	1	1
5310-080-6004	WASHER, FLAT: MS27183-14 (96906)	..	..	..	1
5310-141-1795	WASHER, FLAT: AN960-416 (88044)	..	..	..	100
5310-167-1280	NUT, CASTELLATED, HEXAGON: AN310C4 (88044)	..	..	..	100
5310-903-1035	NUT, PLAIN, ROUND: 11699724 (19205)	..	1	1	2
5315-234-1854	PIN, COTTER: MS24665-153 (96906)	..	..	..	100
5315-597-7092	PIN, COTTER: 1/16 DIA, 2 1/2 LG MS24665-144 (96906)	..	..	..	1
9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	..	..	REF	REF

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	MOUNT ASSEMBLY, (FOR M24 ONLY) LEFT SIDE 11699656 AND RIGHT SIDE 11699658				
1005-909-3019	PINTLE: 11699669 (19205)	..	1	1	2
1005-909-3031	CORD ASSEMBLY, SHOCK: 11699674-1 (19205)	1	2	4	6
3110-100-6149	BALL, BEARING: MS19059-47 (96906)	1	4	9	16
5305-909-3010	RETAINER, BALL BEARING: 11699670 (19205)	..	1	2	3
	MOUNT ASSEMBLY, REAR RAMP (FOR M41 ONLY) 8436675				
1005-061-5624	CORD ASSEMBLY, ELASTIC: 11699674-2 (19205)	..	1	2	3
1005-061-5638	PINTLE: 8436685 (19204)	..	..	1	1
3120-062-4488	BEARING, SLEEVE: 8436686 (19204)	..	..	1	1
5315-810-3704	PIN, SPRING: MS16562-80 (96906)	..	1	2	3
	POST ASSEMBLY, PINTLE 11699723				
1005-903-1042	LOCK, TRAVERSING: 11699722 (19205)	..	1	2	3
1005-903-1043	SPACER, SLEEVE: 11699725 (19205)	..	1	2	3
1005-946-9222	POST AND PINTLE SUBASSEMBLY: 11699826 (19205)	..	1	1	2
3110-100-6149	BALL, BEARING: MS19059-47 (96906)	REF	REF	REF	REF
5305-267-8983	SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG MS90726-16 (96906)	..	1	1	2
5305-909-3010	RETAINER, BALL BEARING: 11699670 (19205)	REF	REF	REF	REF
5306-939-1045	BOLT, MACHINE: NO. 10-32UNF-3A, 2 1/4 LG MS9451-30 (96906)	..	.	1	1
5310-061-7325	NUT, SELF-LOCKING, HEXAGON: MS21045-4 (96906)	1	2	4	6
5310-263-2862	NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906)	..	REF	REF	REF
5315-058-6078	PIN, SPRING: MS16562-126 (96906)	..	1	2	3
	SEAR AND SAFETY HOUSING ASSEMBLY 11699773				
1005-608-5180	PLUNGER, SEAR: 7269207 (19205)	..	1	2	4
1005-608-5182	SEAR: 7269209 (19205)	1	4	8	14
1005-608-5184	SPRING, HELICAL, COMPRESSION: 7269211 (19205)	..	1	2	3

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	SEAR AND SAFETY HOUSING ASSEMBLY 11699773—Continued				
1005-909-3005	BUSHING, SEAR: 11699778 (19205)	..	1	2	3
1005-909-3008	SAFETY, SMALL ARMS: 11699777 (19205)	..	1	2	3
1005-909-3009	PLUNGER, SAFETY: 11699776 (19205)	..	1	2	3
1005-909-3013	HOUSING, SEAR: 11699774 (19205)	..	1	2	3
1005-909-3014	ACTIVATOR, SEAR, ASSEMBLY: 11699780 (19205)	..	..	1	1
1005-909-3017	SPRING, HELICAL, COMPRESSION: 11699775 (19205)	..	1	2	4
5315-909-3004	PIN, GROOVED, HEADED: 11699779 (19205)	..	1	2	3
	SIGHT ASSEMBLY, REAR 11699796				
1005-909-3018	SIGHT, REAR: 11699799 (19205)	..	1	2	3
1005-909-3022	BASE, REAR SIGHT: 11699797 (19205)	..	1	2	4
1005-909-4179	RETAINER, REAR SIGHT: 11699798 (19205)	..	1	2	3
3110-100-6149	BALL, BEARING: MS19059-47 (96906)	REF	REF	REF	REF
5310-158-4447	NUT, SELF-LOCKING, HEXAGON: 11699763 (19205)	..	1	2	3
5315-812-3312	PIN, SPRING: 3/32NOM DIA, 1/2 LG MS16562-119 (96906)	..	..	..	100
5340-952-4705	SPRING, HELICAL, COMPRESSION: MS24585-75 (96906)	..	1	1	2
	TOOLS AND EQUIPMENT				
1005-288-3565	SWAB, CLEANING, SMALL ARMS: 5109316 (19204)	..	1	1	2
1005-350-4100	BRUSH, CLEANING, SMALL ARMS: RECEIVER 8448466 (19204)	..	..	1	2
1005-556-4174	BRUSH, CLEANING, SMALL ARMS: BORE 5564174 (19204)	..	1	2	4
1005-690-3115	BRUSH, CLEANING, SMALL ARMS: CHAMBER 7790452 (19204)	..	1	2	4
1005-694-1662	BUFFER, CLEANING ROD: 7268275 (19204)	..	1	2	3
1005-726-6109	ROD SECTION, CLEANING ROD: 7266109 (19205)	1	2	4	6
1005-726-6110	SWAB HOLDER SECTION, CLEANING ROD: 7266110 (19205)	..	1	2	3
1005-791-5420	CASE, CARRYING, BARREL ASSEMBLY: 7791009 (19205)	..	..	1	1
1005-793-6761	HANDLE ASSEMBLY, CLEANING ROD: 7266115 (19205)	..	1	1	2
1005-994-9647	PLUG, END LINK: 7791595 (19205)	2	7	16	29
1005-999-7783	MAGAZINE ASSEMBLY: 11686442 (19205)	..	..	1	1

(1) Federal stock number	Description / Usable on code	(3) 15-Day organizational maintenance alw (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	TOOLS AND EQUIPMENT—Continued				
1680-516-8427	HARNESS, AIRCRAFT SAFETY, SHOULDER: 51J3817 (80049)	..	..	1	1
4933-652-9950	EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204)	..	1	1	2
5120-690-3766	WRENCH, SCREWDRIVER AND REAMER COMBINATION: 7790680 (19204)	..	1	2	3
7510-763-5996	ENVELOPE, TRANSPARENT: MILE43183 (81349)	..	..	1	2
8415-266-8843	MITTEN, CLOTH: MILM11199 (81349)	..	..	1	2
9150-889-3522	LUBRICATING OIL, SEMIFLUID: 7791359 (19205)	1	2	4	6

Section III. ORGANIZATIONAL REPAIR PARTS LIST

(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code	Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
				COMPONENTS OF MAJOR COMBINATION									
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049									
C P	O	R	1005-903-1088	BAG, EJECTION CONTROL: 11699714 (19205)		EA	2	*	1	1	2	1	1
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091									
C P	O	R	1005-903-1088	BAG, EJECTION CONTROL: 11699714 (19205)		EA	2	REF	REF	REF	REF	2	1
C P	O	..	1005-903-1090	CAN ASSEMBLY, AMMUNITION: 11699679 (19205)	E	EA	2	*	*	1	1	2	2
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598									
C P	O	R	1005-903-1088	BAG, EJECTION CONTROL: 11699714 (19205)		EA	1	REF	REF	REF	REF	3	1
C P	O	..	1005-903-1090	CAN ASSEMBLY, AMMUNITION: 11699679 (19205)	E	EA	1	REF	REF	REF	REF	3	2
				REPAIR PARTS FOR MACHINE GUN, 7.62 MILLIMETER, M60D, FLEXIBLE 11699750									
				NOTE: MACHINE GUN PARTS APPLY TO EACH OF THE ARMAMENT SUBSYSTEMS M23, M24, AND M41									
C P	O	..	1005-608-5001	BARREL ASSEMBLY WITH BIPOD ASSEMBLY: 7269027 (19204)		EA	1	1	2	5	9	4	1
C P	O	..	1005-608-5218	PIN, HINGE COVER: 7269247 (19205)		EA	1	*	1	2	4	4	2
C P	O	..	1005-608-5214	LATCH, HINGE PIN: 7269243 (19205)		EA	1	*	1	2	4	4	3
C P	O	..	5360-608-5269	SPRING, HELICAL, TORSION: 7269301 (19205)		EA	1	*	*	*	*	4	4
C P	O	..	1005-987-9682	TRAY ASSEMBLY, CARTRIDGE: 7792096 (19205)		EA	1	1	2	4	7	4	6
C P	O	..	5315-815-1405	PIN, COTTER: MS24665-151 (96906)		HD	1	*	*	*	*	4	7

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
C	P	O	..	5315-909-3006	PIN, GROOVED, HEADED: 11699788 (19205)	EA	1	*	1	2	4	4	8
C	P	O	..	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	FT	V	*	*	1	1	4	9
C	P	O	..	1005-909-3003	NUT, SEAR LINK: 11699789 (19205)	EA	1	*	1	2	3	4	10
C	P	O	..	1005-909-3023	LINK AND SPRING, SEAR ASSEMBLY: 11699790 (19205)	EA	1	*	1	2	3	4	11
C	P	O	..	1005-909-3024	GRIP AND TRIGGER ASSEMBLY: 11699751 (19205)	EA	1	*	1	2	3	4	12
C	P	O	..	1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	EA	2	*	1	2	4	4	13
C	P	O	..	1005-912-3627	CABLE, PIN, SAFETY: 8427869-7 (19205)	EA	1	*	*	1	2	4	14
C	P	O	..	5340-913-5486	PIN, QUICK RELEASE: MS17990C519 (96906)	EA	1	*	1	1	2	4	15
C	A	O	..	.....	SIGHT ASSEMBLY, REAR: 11699796 (19204)	..	1	..	..	..	..	4	16
C	P	O	..	1005-909-3021	SPRING, LOCK, RETAINING PIN: 11699785 (19205)	EA	1	*	1	2	3	4	17
C	P	O	..	5315-608-5178	PIN, RETAINING: 7269205 (19205)	EA	1	*	*	*	*	4	18
C	A	O	..	.....	SEAR AND SAFETY HOUSING ASSEMBLY: 11699773 (19205)	..	1	..	..	..	..	4	19
C	P	O	..	5315-761-6881	PIN, SPRING: MS16562-151 (96906)	EA	3	*	1	2	3	4	20
C	P	O	..	1005-909-3011	ADAPTER, GUN: 11699793 (19205)	EA	1	*	*	1	1	4	21
C	P	O	..	1005-909-3016	BOOT, DUST, AND MOISTURE SEAL: 11699787 (19205)	EA	1	1	2	4	7		23
C	P	O	..	1005-908-4141	BUFFER ASSEMBLY: 11010518 (19205)	EA	1	*	1	2	4	4	24
C	P	O	R	1005-763-1863	BOLT ASSEMBLY, BREECH: 11010357 (19205)	EA	1	2	6	13	22	4	25
C	P	O	..	1005-608-5172	GUIDE ASSEMBLY, DRIVE SPRING: 7269199 (19205)	EA	1	2	7	16	29	4	26
C	P	O	..	1005-608-5271	SPRING, HELICAL, COMPRESSION: 7269303 (19205)	EA	1	2	5	11	20	4	27
C	P	O	R	1005-912-3712	ROD ASSEMBLY, OPERATING: 11686309 (19205)	EA	1	1	4	8	14	4	28

Section III. ORGANIZATIONAL REPAIR PARTS LIST—Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
					BARREL ASSEMBLY WITH BIPOD ASSEMBLY 7269027								
C	P	O	..	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	FT	V	REF	REF	REF	REF	5	4
C	P	O	..	1005-608-5005	NUT, GAS CYLINDER: 7269031 (19205)	EA	1	*	1	2	3	5	5
C	P	O	..	5310-608-5009	WASHER, KEY: 7269035 (19205)	EA	2	1	3	6	10	5	6
C	P	O	..	1005-875-4350	PISTON, GAS: 7791247 (19205)	EA	1	*	*	*	1	5	7
C	P	O	..	1005-608-5004	EXTENSION, GAS CYLINDER: 7269030 (19205)	EA	1	*	1	1	2	5	8
C	P	O	..	1005-987-9907	PLUG, GAS CYLINDER: 7792093 (19205)	EA	1	*	1	2	3	5	9
					COVER ASSEMBLY 7269114								
C	P	O	..	1005-999-6003	CAM ASSEMBLY, FEED: 11699814 (19205)	EA	1	*	1	2	4	7	1
C	A	O	..	.....	LEVER ASSEMBLY 7269119 (19205)	..	1	..	..	..	..	7	6
C	P	O	..	1005-608-5119	CLIP, SPRING LEVER: 7269146 (19205)	EA	1	*	1	2	3	7	7
C	P	O	..	1005-608-5118	LEVER, FEED: 7269145 (19205)	EA	1	*	1	1	2	7	8
C	P	O	..	1005-912-1146	SPRING, HELICAL, TORSION: 11686315 (19205)	EA	1	*	1	2	3	7	9
C	P	O	..	5315-067-3871	PIN, COTTER: 1/32 NOM DIA, 1/4 LG MS24665-18 (96906)	HD	1	*	*	*	*	7	10
C	P	O	..	1005-013-7030	SHAFT, CARTRIDGE GUIDE: 11010152 (19205)	EA	1	*	*	*	*	7	11
C	P	O	..	1005-608-5089	GUIDE, CARTRIDGE, FRONT: 7269116 (19205)	EA	1	*	1	2	4	7	12
C	P	O	..	1005-608-5090	GUIDE, CARTRIDGE, REAR: 7269117 (19205)	EA	1	*	1	2	4	7	13
C	P	O	..	1005-608-5093	PAWL ASSEMBLY, FEED: 7269120 (19205)	EA	1	*	1	2	3	7	14

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
					GRIP AND TRIGGER ASSEMBLY 11699751								
C	P	O	..	5340-909-3033	CLIP, RETAINING SCREW: 11699772 (19205)	EA	1	1	2	5	9	9	1
C	P	O	..	1005-912-3628	KNOB AND PIN ASSEMBLY: 11699769 (19205)	EA	1	*	*	1	1	9	2
C	P	O	..	5315-058-6079	PIN, SPRING: MS16562-127 (96906)	EA	3	*	1	2	3	9	3
C	P	O	..	5315-909-3026	PIN, SHOULDER, HEADLESS: 11699768 (19205)	EA	1	*	1	2	3	9	4
C	P	O	..	1005-909-3025	SPRING, HELICAL, COMPRESSION: 11699767 (19205)	EA	1	*	1	2	4	9	5
C	P	O	..	5315-239-8019	PIN, COTTER: MS24665-86 (96906)	HD	2	*	*	*	*	9	6
C	P	O	..	5315-909-3007	PIN, GROOVED, HEADED: 11699757 (19205)	EA	2	*	1	2	3	9	7
C	P	O	..	1005-909-3012	SPRING, HELICAL, COMPRESSION: 11699756 (19205)	EA	2	*	1	2	3	9	8
					SIGHT ASSEMBLY, REAR 11699796								
C	P	O	.	5315-812-3312	PIN, SPRING: 3/32 NOM DIA, 1/2 LG MS16562-119 (96906)	HD	1	*	*	*	1	10	1
C	P	O	.	5310-158-4447	NUT, SELF-LOCKING, HEXAGON: 11699763 (19205)	EA	1	*	1	2	3	10	2
C	P	O	.	1005-909-4179	RETAINER, REAR SIGHT: 11699798 (19205)	EA	1	*	1	2	3	10	3
C	P	O	.	1005-909-3018	SIGHT, REAR: 11699799 (19205)	EA	1	*	1	2	3	10	4
C	P	O	.	3110-100-6149	BALL, BEARING: MS19059-47 (96906)	EA	1	1	4	9	16	10	5
C	P	O	.	5340-952-4705	SPRING, HELICAL, COMPRESSION: MS24585-75 (96906)	EA	1	*	1	1	2	10	6
C	P	O	.	1005-909-3022	BASE, REAR SIGHT: 11699797 (19205)	EA	1	*	1	2	4	10	7
					SEAR AND SAFETY HOUSING ASSEMBLY 11699773								
C	P	O		5315-909-3004	PIN, GROOVED, HEADED: 11699779 (19205)	EA	1	*	1	2	3	11	1

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
C	P	O	..	1005-909-3014	ACTIVATOR, SEAR ASSEMBLY: 11699780 (19205)	EA	1	*	*	1	1	11	2
C	P	O	..	1005-909-3005	BUSHING, SEAR: 11699778 (19205)	EA	1	*	1	2	3	11	3
C	P	O	..	1005-608-5182	SEAR: 7269209 (19205)	EA	1	1	4	8	14	11	4
C	P	O	..	1005-608-5180	PLUNGER, SEAR: 7269207 (19205)	EA	1	*	1	2	4	11	5
C	P	O	..	1005-608-5184	SPRING, HELICAL, COMPRESSION: 7269211 (19205)	EA	1	*	1	2	3	11	6
C	P	O	..	1005-909-3008	SAFETY, SMALL ARMS: 11699777 (19205)	EA	1	*	1	2	3	11	7
C	P	O	..	1005-909-3009	PLUNGER, SAFETY: 11699776 (19205)	EA	1	*	1	2	3	11	8
C	P	O	..	1005-909-3017	SPRING, HELICAL, COMPRESSION: 11699775 (19205)	EA	1	*	1	2	4	11	9
C	P	O	..	1005-909-3013	HOUSING, SEAR: 11699774 (19205)	EA	1	*	1	2	3	11	10
					BOLT ASSEMBLY, BREECH 11010357								
C	P	O	..	5315-994-9648	PIN, LOCK: 7792920 (19205)	EA	1	1	2	4	6	12	1
C	P	O	..	1005-872-4445	PLUG ASSEMBLY, BOLT: 7791523 (19205)	EA	1	2	5	11	20	12	2
C	P	O	..	1005-608-5037	ACTUATOR ASSEMBLY, CAM: 7269063 (19205)	EA	1	*	1	2	3	12	3
C	P	O	..	1005-608-5061	SPRING, HELICAL, COMPRESSION: 7269087 (19205)	EA	1	*	1	2	4	12	4
C	P	O	..	1005-608-5039	BEARING, FIRING PIN: 7269065 (19205)	EA	1	*	1	1	2	12	5
C	P	O	..	1005-872-4443	PIN, FIRING: 11010376 (19205)	EA	1	2	6	14	24	12	6
C	P	O	..	5315-839-0901	PIN, SPRING: MS39086-81 (96906)	EA	1	*	*	1	1	12	7
C	P	O	..	1005-872-4442	EJECTOR, CARTRIDGE: 11010375 (19205)	EA	1	2	6	13	22	12	8
C	P	O	..	1005-608-5059	SPRING, HELICAL, COMPRESSION: 7269085 (19205)	EA	1	2	6	13	22	12	9
C	P	O	..	1005-779-6030	EXTRACTOR, CARTRIDGE: 7790907 (19205)	EA	1	1	4	8	14	12	10

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
C	P	O	..	1005-608-5057	PLUNGER, EXTRACTOR: 7269083 (19205)	EA	1	1	2	4	7	12	11
C	P	O	..	1005-608-5060	SPRING, HELICAL, COMPRESSION: 7269086 (19205)	EA	1	1	4	8	14	12	12
					REPAIR PARTS FOR ARMAMENT SUBSYSTEM M23 (EXCLUDING MACHINE GUN M60D)								
					BAG, EJECTION CONTROL								
					11699714								
C	P	O	..	1005-903-1146	BAG, EMPTY CARTRIDGE: 11699740 (19205)	EA	1	*	1	2	4	15	1
C	P	O	..	5315-815-1405	PIN, COTTER: MS24665-151 (96906)	HD	1	*	*	*	1	15	3
C	P	O	..	5315-903-1038	PIN, STRAIGHT, HEADED: 11699713 (19205)	EA	2	*	1	1	2	15	4
C	P	O	..	1005-903-1039	SPRING, HELICAL, TORSION: 11699712 (19205)	EA	2	*	1	1	2	15	5
C	P	O	..	1005-903-1040	LATCH, SAFETY, REAR BRACKET: 11699711 (19205)	EA	1	*	1	2	3	15	6
C	P	O	..	5315-753-3635	PIN, SPRING: TABULAR, COILED, 3/32 DIA, /8 LG MS51923-104 (96906)	EA	2	*	1	1	2	15	7
					MOUNT ASSEMBLY (FOR M23 ONLY) A								
					11699749								
C	P	O	..	5315-234-1854	PIN, COTTER: A MS24665-153 (96906)	HD	4	*	*	*	1	16	1
C	P	O	..	5310-167-1280	NUT, CASTELLATED, HEXAGON: A AN310C4 (88044)	HD	4	*	*	*	1	16	2
C	P	O	..	5310-141-1795	WASHER, FLAT: A AN960-416 (88044)	HD	4	*	*	*	1	16	3
C	P	O	..	5306-151-0528	BOLT, CLEVIS: A AN24-26 (88044)	EA	4	*	*	1	1	16	4
C	P	O	..	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	FT	V	REF	REF	REF	REF	16	5
C	P	O	..	5305-952-1967	SCREW, CAP, SOCKET-HEAD: 3/8-24UNF, 1.150 LG A MS24678-47 (96906)	EA	6	*	1	2	3	16	6
C	P	O	..	5310-080-6004	WASHER, FLAT: A MS27183-14 (96906)	EA	4	*	*	*	1	16	7
C	P	O	..	1005-903-1036	BEAM, MOUNTING: A 11699727 (19205)	EA	1	*	1	2	3	16	8

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

	(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
C	P	O	.	1005-903-1034	BEAM, MOUNTING: A 11699728 (19205)	EA	1	*	1	2	3	16	9
C	P	O	.	5315-597-7092	PIN, COTTER: 1/16 DIA, 2 1/2 LG A MS24665-144 (96906)	EA	1	*	*	*	1	16	10
C	P	O	.	5310-903-1035	NUT, PLAIN, ROUND: A 11699724 (19205)	EA	2	*	1	1	2	16	11
C	P	O	.	1005-903-1094	AMMUNITION BOX AND COVER ASSEMBLY: A 11699743 (19205)	EA	1	*	*	1	1	16	14
N	A	O	..	.....	CHUTE ASSEMBLY, FLEXIBLE A 7792346-5 (19204)	..	1	..	..	..	..	16	15
C	P	O	.	1005-940-9996	ADAPTER, AMMUNITION CHUTE: A 11686424 (19205)	EA	1	*	1	1	2	16	16
C	A	O	..	.....	BRACE ASSEMBLY, CHUTE A 11699819 (19205)	..	1	..	..	..	..	16	17
					POST ASSEMBLY, PINTLE A								
					11699723								
C	P	O	.	5310-061-7325	NUT, SELF-LOCKING, HEXAGON: A MS21045-4 (96906)	EA	1	1	2	4	6	17	1
C	P	O	.	5305-267-8983	SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG. A MS90726-16 (96906)	EA	1	*	1	1	2	17	2
C	P	O	.	5310-263-2862	NUT, SELF-LOCKING, HEXAGON: A MS21045C3 (96906)	EA	1	*	1	2	3	17	3
C	P	O	.	5306-939-1045	BOLT, MACHINE: NO. 10-32UNF-3A, 3 1/4 LG A MS9451-30 (96906)	EA	1	*	*	1	1	17	4
C	P	O	.	1005-903-1043	SPACER, SLEEVE: A 11699725 (19205)	EA	1	*	1	2	3	17	5
C	P	O	.	1005-903-1042	LOCK, TRAVERSING: A 11699722 (19205)	EA	1	*	1	2	3	17	6
C	P	O	.	5315-058-6078	PIN, SPRING: A MS16562-126 (96906)	EA	1	*	1	2	3	17	7
C	P	O	.	1005-946-9222	POST AND PINTLE SUBASSEMBLY: A 11699826 (19205)	EA	1	*	1	1	2	17	8
C	P	O	.	5305-909-3010	RETAINER, BALL BEARING: D 11699670 (19205)	EA	1	*	1	2	3	17	9
C	P	O	.	3110-100-6149	BALL, BEARING: MS19059-47 (96906)	EA	12	REF	REF	REF	REF	17	10

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code	Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
				CHUTE, AMMUNITION, FLEXIBLE — 7.62 MILLIMETER 7792346-5	A								
C P	O	..	1005-972-8128	FITTING, GUN END: 7792345 (19205)	A	EA	1	*	1	2	4	19	1
C P	O	..	1005-972-8126	LINK, AMMUNITION CHUTE: 7792343 (19205)	A	EA	46	1	3	6	11	19	2
C P	O	..	1005-972-8127	FITTING, BOX END: 7792344 (19205)	A	EA	1	*	1	2	4	19	3
				BRACE ASSEMBLY, CHUTE 11699819	A								
C P	O	..	5310-982-4988	NUT, SELF-LOCKING, HEXAGON: MS21045C4 (96906)	A	HD	2	*	1	1	2	20	1
C P	O	..	1005-999-3055	CLAMP ASSEMBLY, STUD: 11699825 (19205)	A	EA	1	*	1	1	2	20	2
C P	O	..	1005-999-3053	CLAMP ASSEMBLY, SPRING RETAINER: 11699822 (19205)	A	EA	1	*	1	1	2	20	3
P	O	..	5310-263-2862	NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906)	A	EA	3	REF	REF	REF	REF	20	4
C P	O	..	1005-999-3054	SPRING, CHUTE BRACE ASSEMBLY: 11699823 (19205)	A	EA	1	*	1	1	2	20	5
				REPAIR PARTS FOR ARMAMENT SUBSYSTEM M24 (EXCLUDING MACHINE GUN M60D)									
				BAG, EJECTION CONTROL 11699714 FOR LIST OF REPAIR PARTS REFER TO FIGURE 15									
				CAN ASSEMBLY, AMMUNITION 11699679	E								
C P	O	..	5315-013-7137	PIN, COTTER: 060 DIA, 1/8 OUTSIDE EYE DIA, 5/64 HOLE SIZE MS24665-814 (96906)	E	EA	4	1	2	4	6	21	1
C P	O	..	5315-087-8226	PIN, STRAIGHT, HEADED: MS20392-2C21 (96906)	E	EA	1	*	*	1	1	21	2
C P	O	..	1005-903-1092	SPRING, HELICAL, COMPRESSION: 11699684 (19205)	E	EA	2	*	*	1	1	21	3
C P	O	..	5320-061-8216	RIVET, SOLID: MS20613-4P10 (96906)	E	LB	1	*	*	1	1	21	4

Section III. ORGANIZATIONAL REPAIR PARTS LIST —Continued

(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code	Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
C P	O		1005-903-1091	PLUNGER, HOLDING: 11699683 (19205)	E	EA	2	*	1	1	2	21	5
				MOUNT ASSEMBLY, (FOR M24 ONLY) LEFT SIDE 11699655 AND RIGHT SIDE 11699658	B								
P	O	..	5305-909-3010	RETAINER, BALL BEARING: 11699670 (19205)	D	EA	2	REF	REF	REF	REF	22	1
P	O	..	3110-100-6149	BALL, BEARING: MS19059-47 (96906)		EA	24	REF	REF	REF	REF	22	2
C P	O	..	1005-909-3019	PINTLE: 11699669 (19205)	B	EA	2	*	1	1	2	22	3
C P	O	..	1005-909-3031	CORD ASSEMBLY, SHOCK: 11699674-1 (19205)	B	EA	2	1	2	4	6	22	4
				REPAIR PARTS FOR ARMAMENT SUBSYSTEM M41 (EXCLUDING MACHINE GUN M60D)									
				BAG, EJECTION CONTROL 11699714 FOR LIST OF REPAIR PARTS REFER TO FIGURE 15									
				CAN ASSEMBLY, AMMUNITION 11699679 FOR LIST OF REPAIR PARTS REFER TO FIGURE 21									
				MOUNT ASSEMBLY, REAR RAMP: (FOR M41 ONLY) 8436675	C								
C P	O	..	5315-810-3704	PIN, SPRING: MS16562-80 (96906)	C	EA	1	*	1	2	3	23	1
C P	O	..	1005-061-5638	PINTLE: 8436685 (19204)	C	EA	1	*	*	1	1	23	2
C P	O	..	3120-062-4488	BEARING, SLEEVE: 8436686 (19204)	C	EA	1	*	*	1	1	23	3
C P	O	..	1005-061-5624	CORD ASSEMBLY, ELASTIC: 11699674-2 (19204)	C	EA	1	*	1	2	3	23	4

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT

	(1) SOURCE MAINT AND RECOV CODE			(2) FEDERAL STOCK NO.	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUSTRATION	
	(a) Source	(b) Maint	(c) Recov		Reference Number & Mfr Code — Usable on Code			(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(a) Figure No.	(b) Item No.
					TOOLS AND EQUIPMENT								
C	P	O	..	1005-288-3565	SWAB, SMALL ARMS, CLEANING: 5019316 (19204)	EA	1	*	1	1	2	25	11
N	P	C	..	1005-350-4100	BRUSH, CLEANING, SMALL ARMS: RECEIVER 8448466 (19204)	EA	1	*	*	1	2	25	9
C	P	C	..	1005-556-4174	BRUSH, CLEANING, SMALL ARMS: BORE 5564174 (19204)	EA	1	*	1	2	4	25	8
C	P	C	..	1005-690-3115	BRUSH, CLEANING, SMALL ARMS: CHAMBER 7790452 (19204)	EA	1	*	1	2	4	25	4
N	P	C	..	1005-694-1662	BUFFER, CLEANING ROD: 7268275 (19204)	EA	1	*	1	2	3	25	6
C	P	C	..	1005-726-6109	ROD SECTION, CLEANING 7266109 (19205)	EA	5	1	2	4	6	25	7
C	P	C	..	1005-726-6110	SWAB HOLDER SECTION, CLEANING ROD: 7266110 (19205)	EA	1	*	1	2	3	25	10
C	P	C	..	1005-791-5420	CASE, CARRYING, BARREL ASSEMBLY AND EQUIPMENT 7791009 (19205)	EA	1	*	*	1	1	25	15
C	P	C	..	1005-793-6761	HANDLE ASSEMBLY, CLEANING ROD: 7266115 (19205)	EA	1	*	1	1	2	25	5
C	P	C	..	1005-994-9647	PLUG, END LINK: 7791595 (19205)	EA	100	2	7	16	29	25	2
C	P	C	..	1005-999-7783	MAGAZINE ASSEMBLY: 11686442 (19205)	EA	2	*	*	1	1	26	16
C	P	C	..	1680-516-8427	HARNESS, AIRCRAFT SAFETY, SHOULDER: 51J3817 (80049)	EA	2	*	*	1	1	25	17
C	P	C	..	4933-652-9950	EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204)	EA	1	*	1	1	2	25	14
C	P	O	R	5120-690-3766	WRENCH, SCREWDRIVER, AND REAMER COMBINATION: 7790680 (19204)	EA	1	*	1	2	3	25	1
C	P	C	..	7510-763-5996	ENVELOPE, TRANSPARENT: MILE43183 (81349)	PG	1	*	*	1	2	25	13
C	P	C	..	8415-266-8843	MITTEN, CLOTH: MILM11199 (81349)	PR	2	*	*	1	2	25	12
C	P	C	..	9150-889-3522	LUBRICATING OIL, SEMIFLUID: 4 OZ 7791359 (19205)	TU	1	1	2	4	6	25	3

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT —Continued

(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
				SPECIAL TOOLS FOR ORGANIZATIONAL MAINTENANCE. THE 15 DAY LEVEL DOES NOT APPLY TO SPECIAL TOOLS FOR ORGANIZATIONAL MAINTENANCE. THE FOLLOWING TOOLS ARE AUTHORIZED ONE(1) TO EACH AIRCRAFT ARMAMENT REPAIRMAN MOS 45J SUPPORTING THE SUBSYSTEMS M23, M24, AND M41.							
P	O	..	4933-652-9950	EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204)								
P	O	R	5120-690-3766	WRENCH, SCREWDRIVER, AND REAMER COMBINATION 7790680 (19204)								
				COMMON MAINTENANCE TOOLS THE SETS LISTED BELOW ARE AUTHORIZED IN ACCORDANCE WITH TOE.								
				TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 427, BASIC (FSN 4933-987-9816) (LISTED IN SC 4933-95-CL-A13)								
				CLEANING AND PRESERVING MATERIALS THE FOLLOWING ITEMS ARE REQUISITIONED AS REQUIRED. (SEE ALSO SB700-50) FOR USAGE SEE TM 9-247, TM 9-213, AND TM 9-208-1.								
				SWAB, SMALL ARMS CLEANING:								
P	O	..	1005-288-2868	20 EA IN WP ENV (EXPORT PACK) 2P600-40								
P	O	..	1005-288-3565	1000 EA IN BNDL 5019316								
P	O	..	5350-221-0872	CLOTH, ABRASIVE: PC458								
				CLEANING COMPOUND, SOLVENT: (CR) MILC372 (81349)								
P	O	..	6850-224-6657	6 OZ CAN								
P	O	..	6850-224-6663	1 GAL CAN								
P	O	..	6850-682-6835	2 OZ CAN								

Section IV ORGANIZATIONAL TOOLS, TEST, AND SUPPORT EQUIPMENT —Continued

(1) SOURCE MAINT AND RECOV CODE (a) Source	(b) Maint	(c) Recov	(2) FEDERAL STOCK NO.	(3) DESCRIPTION Reference Number & Mfr Code / Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) Figure No.	(b) Item No.
				DRY CLEANING SOLVENT: TYPE 1 (SD) PD680								
P	O	..	6850-281-1985	1 GAL CAN								
P	O	..	7920-205-1711	RAG, WIPING: MS16746-131 (96906)								
				THINNER, PAINT, MINERAL SPIRITS: (TPMS) FED SPEC TT-291 (81348)								
P	O	..	8010-242-2089	1 GAL CAN								
P	O	..	8020-244-0153	BRUSH, ARTISTS: MILHB241 (81348)								
				LUBRICATING OIL, GENERAL PURPOSES: TYPE 11 (PL) MILL644 (81349)								
P	O	..	9150-231-6689	1 QT CAN								
P	O	..	9150-273-2389	4 OZ CAN								
				LUBRICATING OIL, WEAPONS: (LAW) MILL14107 (81349)								
P	O	..	9150-292-9689	1 QT CAN								
				LUBRICATING OIL, SEMIFLUID: (LSA) MILL46000 (81349)								
P	O	..	9150-687-4241	1 QT CAN								

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				COMPONENTS OF MAJOR COMBINATIONS												
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M23 W/E 8428049												
C	P O R		1005-903-1088	BAG, EJECTION CONTROL: 11699714 (19205)	EA	2	1	2	4	1	2	4	48	24	1	1
	P F R		1005-909-3002	MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE* 11699750 (19204)	EA	2	..	..	..	..	..	..	..	..	1	2
	X1	.....	.....	MOUNT ASSEMBLY, (M23)..... A 11699749 (19205)	EA	2	..	..	..	..	..	..	..	..	1	3
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M24 W/E 8427091												
C	P O R		1005-903-1088	BAG, EJECTION CONTROL: 11699714 (19205)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	2	1
	P O ..		1005-903-1090	CAN ASSEMBLY, AMMUNITION: ..... E 11699679 (19205)	EA	2	1	1	2	1	1	2	24	8	2	2
	P F R		1005-909-3002	MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE * 11699750 (19205)	EA	2	..	..	..	..	..	..	..	..	2	3
	X1	.....	.....	MOUNT ASSEMBLY, LEFT SIDE, (M24) ..... B 11699655 (19205)	..	1	..	..	..	..	..	..	..	..	2	4
	X1	.....	.....	MOUNT ASSEMBLY, RIGHT SIDE, (M24) ..... B 11699658 (19205)	..	1	..	..	..	..	..	..	..	..	2	4
				ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE GUN: M41 W/E 8436598												
C	P O R		1005-903-1088	BAG, EJECTION CONTROL:..... 11699714 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	3	1
	P O ..		1005-903-1090	CAN ASSEMBLY, AMMUNITION:..... E 11699679 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	3	2
	P F R		1005-909-3002	MACHINE GUN, 7.62 MILLIMETER: M60D, FLEXIBLE*... 11699750 (19205)	EA	1	..	..	..	..	..	..	..	..	3	3
	X1	.....	.....	MOUNT ASSEMBLY, REAR RAMP: (M41)..... C 8436675 (19204)	..	1	..	..	..	..	..	..	..	..	3	4

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST—Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				REPAIR PARTS FOR MACHINE GUN, 7.62 MILLIMETER, M60D, FLEXIBLE 11699750												
				NOTE MACHINE GUN PARTS APPLY TO EACH OF THE ARMAMENT SUBSYSTEMS M23, M24, AND M41.												
C	P	O ..	1005-608-5001	BARREL ASSEMBLY WITH BIPOD ASSEMBLY: 7269027 (19204)	EA	1	4	9	16	4	9	16	192	..	4	1
C	P	O ..	1005-608-5218	PIN, HINGE COVER: 7269247 (19205)	EA	1	2	4	7	2	4	7	84	6	4	2
C	P	O ..	1005-608-5214	LATCH, HINGE PIN: 7269243 (19205)	EA	1	2	4	7	2	4	7	84	12	4	3
C	P	O ..	5360-608-5269	SPRING, HELICAL, TORSION: 7269301 (19205)	EA	1	*	1	1	*	1	1	12	4	4	4
	X1	.....	.....	COVER ASSEMBLY: 7269114 (19205)	..	1	..	..	..	..	..	..	..	..	4	5
C	P	O ..	1005-987-9682	TRAY ASSEMBLY, CARTRIDGE: 7792096 (19205)	EA	1	4	8	14	4	8	14	168	50	4	6
C	P	O ..	5315-815-1405	PIN, COTTER: MS24665-151 (96906)	HD	1	*	1	1	*	1	1	12	15	4	7
C	P	O ..	5315-909-3006	PIN, GROOVED, HEADED: 11699788 (19205)	EA	1	2	4	7	2	4	7	84	15	4	8
C	P	O ..	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	FT	V	1	1	2	1	1	2	24	1	4	9
C	P	O ..	1005-909-3003	NUT, SEAR LINK: 11699789 (19205)	EA	1	2	4	6	2	4	6	72	10	4	10
C	P	O ..	1005-909-3023	LINK AND SPRING, SEAR ASSEMBLY: 11699790 (19205)	EA	1	2	3	5	2	3	5	60	10	4	11
C	P	O ..	1005-909-3024	GRIP AND TRIGGER ASSEMBLY: 11699751 (19205)	EA	1	2	3	5	2	3	5	60	76	4	12
C	P	O ..	1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	EA	2	2	4	8	2	4	8	96	50	4	13
C	P	O ..	1005-912-3627	CABLE, PIN, SAFETY: 8427869-7 (19204)	EA	1	1	2	3	1	2	3	36	24	4	14
C	P	O ..	5340-913-5486	PIN, QUICK RELEASE: MS17990C519 (96906)	EA	1	*	1	2	*	1	2	24	8	4	15

***This is a PEMA Major Item. Stockage of a maintenance float quantity will be in accordance with SB 9-140. If not repairable in accordance with the criteria of the support unit it will be evacuated and a replacement requisitioned through supply channels. Stockage of replacements will be in accordance with AR 11-11 for major overseas commands. Stockage of replacements for CONUS will be limited to NICP controlled U. S. Army depots.**

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	A	O ..	.....	SIGHT ASSEMBLY, REAR 11699796 (19204)	..	1	..	..	..	..	..	..	..	..	4	16
C	P	O ..	1005-909-3021	SPRING, LOCK, RETAINING PIN: 11699785 (19205)	EA	1	2	4	6	2	4	6	72	10	4	17
C	P	O ..	5315-608-5178	PIN, RETAINING: 7269205 (19205)	EA	1	*	*	1	*	*	1	12	8	4	18
C	A	O ..	.....	SEAR AND SAFETY HOUSING ASSEMBLY: 11699773 (19205)	..	1	..	..	..	..	..	..	..	..	4	19
C	P	O ..	5315-761-6881	PIN, SPRING: MS16562-151 (96906)	EA	1	2	3	5	2	3	5	60	40	4	20
C	P	O ..	1005-909-3011	ADAPTER, GUN: 11699793 (19205)	EA	1	1	2	2	1	2	2	24	5	4	21
C	P	F ..	1005-909-3020	YOKE, BUFFER RETAINING: 11699786 (19205)	EA	1	3	5	9	3	5	9	108	25	4	22
C	P	O ..	1005-909-3016	BOOT, DUST AND MOISTURE SEAL: 11699787 (19205)	EA	1	4	8	14	4	8	14	168	..	4	23
C	P	O ..	1005-908-4141	BUFFER ASSEMBLY: 11010518 (19205)	EA	1	2	4	7	2	4	7	84	20	4	24
C	P	O R	1005-763-1863	BOLT ASSEMBLY, BREECH: 11010357 (19205)	EA	1	10	23	44	10	23	44	528	..	4	25
C	P	O ..	1005-608-5172	GUIDE ASSEMBLY, DRIVE SPRING: 7269199 (19205)	EA	1	13	30	58	13	30	58	696	50	4	26
C	P	O ..	1005-608-5271	SPRING, HELICAL, COMPRESSION 7269303 (19205)	EA	1	9	21	40	9	21	40	480	100	4	27
C	P	O R	1005-912-3712	ROD ASSEMBLY, OPERATING: 11686309 (19205)	EA	1	6	14	27	6	14	27	324	50	4	28
C	P	F ..	5315-839-0901	PIN, SPRING: MS39086-81 (96906)	EA	2	1	2	2	1	2	2	24	300	4	29
C	P	F ..	1005-918-2609	RING, BARREL LOCK: 11010377 (19205)	EA	2	*	1	1	*	1	1	12	5	4	30
C	P	F ..	1005-913-0928	SPRING, HELICAL, COMPRESSION: 11010197 (19205)	EA	1	1	1	2	1	1	2	24	5	4	31
C	P	F ..	1005-918-2608	LOCK, BARREL: 11010184 (19205)	EA	1	*	1	1	*	1	1	12	2	4	32
C	P	F ..	1005-608-5270	SPRING, HELICAL, COMPRESSION: 7269302 (19205)	EA	1	1	2	2	1	2	2	24	6	4	33
C	P	F ..	1005-608-5221	PLUNGER, CARRYING HANDLE: 7269250 (19205)	EA	1	1	2	2	1	2	2	24	4	4	34
C	P	F ..	1005-608-5203	HANDLE ASSEMBLY, CARRYING: 7269231 (19205)	EA	1	1	2	2	1	2	2	24	10	4	35

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	F	5305-753-4113	SCREW, ASSEMBLED WASHER: 7790559 (19205)	EA	1	2	3	5	2	3	5	60	10	4	36
C	P	F	1005-603-9285	GUIDE, COCKING HANDLE: 11010155 (19205)	EA	1	1	2	3	1	2	3	36	4	4	37
	X1			HANDLE ASSEMBLY: 7791621 (19205)	..	1	..	..	..	..	..	..	..	..	4	38
C	P	F	1005-934-8312	BRACKET, MAGAZINE: 11686976 (19205)	EA	1	1	1	2	1	1	2	24	8	4	39
C	P	F	5315-067-3871	PIN, COTTER: 1/32 NOM DIA. 1/4 LG MS24665-18 (96906)	HD	2	*	1	1	*	1	1	12	1	4	40
C	P	F	5315-066-6062	PIN, LATCH RETAINING: 7792069 (19205)	EA	2	2	4	7	2	4	7	84	6	4	41
C	P	F	1005-690-3505	LATCH, MAGAZINE RELEASE: 7790554 (19205)	EA	1	1	2	4	1	2	4	48	8	4	42
C	P	F	1005-690-3504	LATCH, MAGAZINE: 7790553 (19205)	EA	1	1	2	4	1	2	4	48	8	4	43
C	P	F	1005-690-3502	SPRING, HELICAL, COMPRESSION: 7790551 (19205)	EA	2	1	2	4	1	2	4	48	8	4	44
C	P	H	5320-075-7225	RIVET, MAGAZINE BRACKET ASSEMBLY: 7792086 (19205)	EA	4	..	..	..	2	3	5	60	60	4	45
	X1			RECEIVER ASSEMBLY: 11686308 (19204)	..	1	..	..	..	..	..	..	..	..	4	46
C	P	F	5320-083-0290	RIVET, RECEIVER ASSEMBLY: 7792972 (19205)	EA	2	*	1	1	*	1	1	12	20	4	47
C	P	F	1005-083-0291	PLATE MOUNTING 7792974 (19205)	EA	1	1	2	2	1	2	2	24	5	4	48
	P	H	5320-071-8945	RIVET, COUNTERSUNK: 7269411 (19205)	EA	4	..	..	..	*	*	1	12	12	4	49
	X1			RECEIVER: 11686307 (19204)	..	1	..	..	..	..	..	..	..	..	4	50
				BARREL ASSEMBLY WITH BIPOD ASSEMBLY 7269027												
C	P	F	5315-409-4069	PIN, STRAIGHT, HEADLESS: 7792085 (19205)	EA	1	2	3	5	2	3	5	60	100	5	1
C	P	F	1005-608-5008	SUPPRESSOR, FLASH: 7269034 (19205)	EA	1	2	4	6	2	4	6	72	5	5	2
	X1			BIPOD ASSEMBLY: 7793009 (19205)	..	1	..	..	..	..	..	..	..	..	5	3
	P	O	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	FT	V	REF	REF	REF	REF	REF	REF	REF	REF	5	4

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	O	1005-608-5005	NUT, GAS CYLINDER: 7269031 (19205)	EA	1	2	3	5	2	3	5	60	10	5	5
C	P	O	5310-608-5009	WASHER, KEY: 7269035 (19205)	EA	2	5	10	19	5	10	19	228	50	5	6
C	P	O	1005-875-4350	PISTON, GAS: 7791247 (19205)	EA	1	*	1	1	*	1	1	12	10	5	7
C	P	O	1005-608-5004	EXTENSION, GAS CYLINDER: 7269030 (19205)	EA	1	1	2	4	1	2	4	48	5	5	8
C	P	O	1005-987-9907	PLUG, GAS CYLINDER: 7792093 (19205)	EA	1	2	4	6	2	4	6	72	70	5	9
C	P	F	1005-608-5002	BARREL ASSEMBLY: 7269028 (19205)	EA	1	1	2	4	1	2	4	48	100	5	10
				BIPOD ASSEMBLY 7793009												
C	P	F	5305-608-5025	SCREW: 7269051 (19205)	EA	2	2	3	5	2	3	5	60	200	6	1
C	P	F	5315-608-5022	PIN, RETAINER, SPRING: 7269048 (19205)	EA	2	1	1	2	1	1	2	24	8	6	2
C	P	F	1005-608-5027	RETAINER, SPRING: 7269053 (19205)	EA	2	1	1	2	1	1	2	24	6	6	3
C	P	F	1005-608-5026	SPRING, HELICAL, COMPRESSION: 7269052 (19205)	EA	2	1	1	2	1	1	2	24	5	6	4
C	P	F	5315-608-5024	PLUNGER, SPRING: 7269050 (19205)	EA	2	1	1	2	1	1	2	24	6	6	5
C	P	F	1005-020-8684	PIVOT, BIPOD ASSEMBLY: 7793010 (19205)	EA	1	1	2	2	1	2	2	24	10	6	6
	P	D	1005-608-5021	LEG ASSEMBLY: RH 7269047 (19205)	EA	1	..	..	..	..	..	..	..	5	6	7
	P	D	1005-608-5020	LEG ASSEMBLY: LH 7269046 (19205)	EA	1	..	..	..	..	..	..	..	5	6	8
	P	D	5320-608-5032	RIVET, SOLID: 7269058 (19205)	EA	4	..	..	..	..	..	..	..	400	6	9
	X1			KEY, GUIDE FOOT: 7269057 (19205)	..	2	..	..	..	..	..	..	..	..	6	10
	X1			SPRING: 7269059 (19205)	..	2	..	..	..	..	..	..	..	..	6	11
	X1			BUTTON: 7269054 (19205)	..	2	..	..	..	..	..	..	..	..	6	12
	X1			FOOT ASSEMBLY: RH 7269061 (19205)	..	1	..	..	..	..	..	..	..	..	6	13

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
	X1			FOOT ASSEMBLY: LH 7269055 (19205)	..	1	..	..	..	..	..	..	..	..	6	14
	X1			HOUSING ASSEMBLY, FOOT: RH 7269056 (19205)	..	1	..	..	..	..	..	..	..	..	6	15
	X1			HOUSING ASSEMBLY, FOOT: LH 7269062 (19205)	..	1	..	..	..	..	..	..	..	..	6	16
				COVER ASSEMBLY **7269114**												
C	P	O	1005-999-6003	CAM ASSEMBLY, FEED: 11699814 (19205)	EA	1	2	4	7	2	4	7	84	5	7	1
				CONSISTING OF:												
C	P	F	1005-608-5097	RETAINER, FEED CAM: 7269124 (19205)	EA	1	1	2	2	1	2	2	24	6	7	2
C	P	F	1005-608-5096	PLUNGER, RETAINER: 7269123 (19205)	EA	1	1	2	2	1	2	2	24	10	7	3
C	P	F	1005-608-5098	SPRING, HELICAL, COMPRESSION: 7269125 (19205)	EA	1	1	2	2	1	2	2	24	5	7	4
	X1			CAM SUBASSEMBLY, FEED: 11699817 (19205)	..	1	..	..	..	..	..	..	..	..	7	5
C	A	O		LEVER ASSEMBLY: 7269119 (19205)	..	1	..	..	..	..	..	..	..	..	7	6
				CONSISTING OF:												
C	P	O	1005-608-5119	CLIP, SPRING LEVER: 7269146 (19205)	EA	1	2	3	5	2	3	5	60	10	7	7
C	P	O	1005-608-5118	LEVER, FEED: 7269145 (19205)	EA	1	1	2	4	1	2	4	48	6	7	8
C	P	O	1005-912-1146	SPRING, HELICAL, TORSION: 11686315 (19205)	EA	1	2	3	5	2	3	5	60	20	7	9
C	P	O	5315-067-3871	PIN, COTTER: 1/32 NOM DIA. 1/4 LG MS24665-18 (96906)	HD	1	REF	REF	REF	REF	REF	REF	REF	REF	7	10
C	P	O	1005-013-7030	SHAFT, CARTRIDGE GUIDE: 11010152 (19205)	EA	1	*	1	1	*	1	1	12	2	7	11
C	P	O	1005-608-5089	GUIDE, CARTRIDGE, FRONT: 7269116 (19205)	EA	1	2	4	7	2	4	7	84	12	7	12
C	P	O	1005-608-5090	GUIDE, CARTRIDGE, REAR: 7269117 (19205)	EA	1	2	4	7	2	4	7	84	12	7	13
C	P	O	1005-608-5093	PAWL ASSEMBLY, FEED: 7269120 (19205)	EA	1	2	3	5	2	3	5	60	10	7	14

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				CONSISTING OF:												
C	P	F	1005-608-5124	SHAFT, FEED PAWL: 7269151 (19205)	EA	1	2	3	5	2	3	5	60	6	7	15
	X1			PAWL, FEED: 7269150 (19204)	..	1	..	..	..	..	..	..	..	..	7	16
C	P	F	5360-608-5125	SPRING, HELICAL, TORSION: 7269152 (19205)	EA	1	1	2	2	1	2	2	24	8	7	17
	X1			CHASSIS ASSEMBLY, CARRIER: 7269149 (19205)	.	1	..	..	..	..	..	..	..	..	7	18
C	P	F	1005-608-5091	HOUSING ASSEMBLY, COVER: 7269118 (19205)	EA	1	2	4	6	2	4	6	72	15	7	19
				CONSISTING OF:												
C	P	F	5315-878-8615	PIN, STRAIGHT, HEADLESS: 7791270 (19205)	EA	1	1	2	4	1	2	4	48	12	7	20
C	P	F	1005-608-5110	LEVER ASSEMBLY, LATCH: 7269137 (19205)	EA	1	1	2	2	1	2	2	24	85	7	21
C	P	F	1005-608-5109	LATCH, COVER: 7269136 (19205)	EA	1	1	2	2	1	2	2	24	5	7	22
C	P	F	1005-870-2118	SPRING, HELICAL, TORSION: 7791271 (19205)	EA	1	2	3	5	2	3	5	60	8	7	23
C	P	F	5320-608-5112	RIVET, SOLID: 7269139 (19205)	EA	2	7	16	30	7	16	30	360	200	7	24
C	P	F	1005-608-5099	BUMPER ASSEMBLY, CAM: 7269126 (19205)	EA	1	1	2	2	1	2	2	24	15	7	25
C	P	H	5320-608-5085	RIVET, SOLID: 7269112 (19205)	HD	9	..	..	..	*	1	1	12	10	7	26
C	P	H	1005-608-5111	PAD ASSEMBLY, CHEEK: 7269138 (19205)	EA	1	..	..	..	1	2	2	24	10	7	27
	P	D	1005-608-5113	SHIELD, COVER: 7269140 (19205)	EA	1	..	..	..	..	..	..	..	10	7	28
	P	D	5315-608-5116	PIN, SHOULDER, HEADED: 7269143 (19205)	EA	2	..	..	..	..	..	..	..	200	7	29
	P	D	1005-608-5114	SPRING, HELICAL, COMPRESSION: 7269141 (19205)	EA	2	..	..	..	..	..	..	..	180	7	30
	P	D	5310-981-8623	WASHER, CARTRIDGE GUIDE: 7269144 (19205)	EA	2	..	..	..	..	..	..	..	10	7	31
	X1			FRAME ASSEMBLY 7269128 (19205)	..	1	..	..	..	..	..	..	..	..	7	32

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source	Maint	Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				TRAY ASSEMBLY, CARTRIDGE 7792096												
C	P	F ..	1005-768-7084	SHAFT, CARTRIDGE PAWL: 7790724 (19205)	EA	1	1	2	2	1	2	2	24	6	8	1
C	P	F ..	1005-608-5300	ROLLER, CARTRIDGE FEED: 7269333 (19205)	EA	2	*	1	1	*	1	1	12	8	8	2
C	P	F ..	1005-608-5299	PAWL, CARTRIDGE RETAINER: 7269332 (19205)	EA	1	1	2	2	1	2	2	24	10	8	3
C	P	F ..	5360-608-5302	SPRING, HELICAL, TORSION: 7269335 (19205)	EA	1	1	2	2	1	2	2	24	6	8	4
	X1	.....	.....	FRAME ASSEMBLY, CARTRIDGE TRAY 7792097 (19205)	..	1	..	..	..	..	..	..	..	..	8	5
				GRIP AND TRIGGER ASSEMBLY 11699751												
C	P	O ..	5340-909-3033	CLIP, RETAINING SCREW: 11699772 (19205)	EA	1	4	9	16	4	9	16	192	20	9	1
C	P	O ..	1005-912-3628	KNOB AND PIN ASSEMBLY: 11699769 (19205)	EA	1	1	2	2	1	2	2	24	5	9	2
C	P	O ..	5315-058-6079	PIN, SPRING: MS16562-127 (96906)	EA	3	2	3	5	2	3	5	60	32	9	3
C	P	O ..	5315-909-3026	PIN, SHOULDER, HEADLESS: 11699768 (19205)	EA	1	2	4	6	2	4	6	72	14	9	4
C	P	O ..	1005-909-3025	SPRING, HELICAL, COMPRESSION: 11699767 (19205)	EA	1	2	4	7	2	4	7	84	14	9	5
C	P	O ..	5315-239-8019	PIN, COTTER: MS24665-86 (96906)	HD	2	*	1	1	*	1	1	12	15	9	6
C	P	O ..	5315-909-3007	PIN, GROOVED, HEADED: 11699757 (19205)	EA	2	2	4	6	2	4	6	72	10	9	7
C	P	O ..	1005-909-3012	SPRING, HELICAL, COMPRESSION: 11699756 (19205)	EA	2	2	4	6	2	4	6	72	8	9	8
				SIGHT ASSEMBLY, REAR 11699796												
C	P	O ..	5315-812-3312	PIN, SPRING: 3/32 NOM DIA, 1/2 LG MS16562-119 (96906)	HD	1	*	1	1	*	1	1	12	14	10	1
C	P	O ..	5310-158-4447	NUT, SELF-LOCKING, HEXAGON: 11699763 (19205)	EA	1	2	4	6	2	4	6	72	22	10	2
C	P	O ..	1005-909-4179	RETAINER, REAR SIGHT: 11699798 (19205)	EA	1	2	3	5	2	3	5	60	6	10	3

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source	Maint	Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	O ..	1005-909-3018	SIGHT, REAR: 11699799 (19205)	EA	1	2	3	5	2	3	5	60	5	10	4
C	P	O ..	3110-100-6149	BALL, BEARING: MS19059-47 (96906)	EA	1	7	16	30	7	16	30	360	50	10	5
C	P	O ..	5340-952-4705	SPRING, HELICAL, COMPRESSION: MS24585-75 (96906)	EA	1	1	2	4	1	2	4	48	6	10	6
C	P	O ..	1005-909-3022	BASE, REAR SIGHT: 11699797 (19205)	EA	1	2	4	7	2	4	7	84	4	10	7
				SEAR AND SAFETY HOUSING ASSEMBLY 11699773												
C	P	O ..	5315-909-3004	PIN, GROOVED, HEADED: 11699779 (19205)	EA	1	2	4	6	2	4	6	72	8	11	1
C	P	O ..	1005-909-3014	ACTIVATOR, SEAR ASSEMBLY: 11699780 (19205)	EA	1	1	1	2	1	1	2	24	2	11	2
C	P	O ..	1005-909-3005	BUSHING, SEAR: 11699778 (19205)	EA	1	2	4	6	2	4	6	72	8	11	3
C	P	O ..	1005-608-5182	SEAR: 7269209 (19205)	EA	1	6	14	27	6	14	27	324	32	11	4
C	P	O ..	1005-608-5180	PLUNGER, SEAR: 7269207 (19205)	EA	1	2	4	7	2	4	7	108	10	11	5
C	P	O ..	1005-608-5184	SPRING, HELICAL, COMPRESSION: 7269211 (19205)	EA	1	2	4	6	2	4	6	72	8	11	6
C	P	O ..	1005-909-3008	SAFETY, SMALL ARMS: 11699777 (19205)	EA	1	2	3	5	2	3	5	60	8	11	7
C	P	O ..	1005-909-3009	PLUNGER, SAFETY: 11699776 (19205)	EA	1	2	3	5	2	3	5	60	8	11	8
C	P	O ..	1005-909-3017	SPRING, HELICAL, COMPRESSION: 11699775 (19205)	EA	1	2	4	7	2	4	7	84	14	11	9
C	P	O ..	1005-909-3013	HOUSING, SEAR: 11699774 (19205)	EA	1	2	3	5	2	3	5	60	5	11	10
				BREECH BOLT ASSEMBLY 11010357												
C	P	O ..	5315-994-9648	PIN, LOCK: 7792920 (19205)	EA	1	3	6	11	3	6	11	132	50	12	1
C	P	O ..	1005-872-4445	PLUG ASSEMBLY, BOLT: 7791523 (19205)	EA	1	9	21	40	9	21	40	480	100	12	2
C	P	O ..	1005-608-5037	ACTUATOR ASSEMBLY, CAM: 7269063 (19205)	EA	1	2	3	5	2	3	5	60	10	12	3

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	O ..	1005-608-5061	SPRING, HELICAL, COMPRESSION: 7269087 (19205)	EA	1	2	4	7	2	4	7	84	100	12	4
C	P	O ..	1005-608-5039	BEARING, FIRING, PIN: 7269065 (19205)	EA	1	1	2	4	1	2	4	48	6	12	5
C	P	O ..	1005-872-4443	PIN, FIRING: 11010376 (19205)	EA	1	11	26	49	11	26	49	588	100	12	6
	P	O ..	5315-839-0901	PIN, SPRING: MS39086-81 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	12	7
C	P	O ..	1005-872-4442	EJECTOR, CARTRIDGE: 11010375 (19205)	EA	1	10	23	44	10	23	44	528	50	12	8
C	P	O ..	1005-608-5059	SPRING, HELICAL, COMPRESSION: 7269085 (19205)	EA	1	10	23	44	10	23	44	528	100	12	9
C	P	O ..	1005-779-6030	EXTRACTOR, CARTRIDGE: 7790907 (19205)	EA	1	6	14	27	6	14	27	324	100	12	10
C	P	O ..	1005-608-5057	PLUNGER, EXTRACTOR: 7269083 (19205)	EA	1	4	8	14	4	8	14	168	20	12	11
C	P	O ..	1005-608-5060	SPRING, HELICAL, COMPRESSION: 7269086 (19205)	EA	1	6	14	27	6	14	27	324	72	12	12
	P	D ..	1005-872-4441	BOLT, BREECH: 11010358 (19205)	EA	1	..	..	..	..	..	..	..	50	12	13
				ROD ASSEMBLY, OPERATING 11686309												
C	P	F ..	5315-940-9490	PIN, SPRING: 3/32 NOM DIA, 5/16 LG MS51923-105 (96906)	EA	1	3	6	11	3	6	11	132	20	13	1
C	P	F ..	5315-919-7272	PIN, GROOVED, HEADLESS: 11010215 (19205)	EA	1	2	4	7	2	4	7	84	8	13	2
C	P	F ..	1005-788-6109	ROLLER, YOKE: 7790942 (19205)	EA	1	3	6	11	3	6	11	132	10	13	3
				HANDLE ASSEMBLY 7791621												
C	P	F ..	1005-608-5208	RETAINER, COCKING HANDLE: 7269237 (19205)	EA	1	1	2	2	1	2	2	24	8	14	1
C	P	F ..	1005-066-6061	SPRING, HELICAL, COMPRESSION: 7791522 (19205)	EA	1	1	2	2	1	2	2	24	100	14	2
C	P	F ..	1005-608-5210	SLIDE ASSEMBLY, COCKING HANDLE: 7269239 (19205)	EA	1	2	4	7	2	4	7	84	8	14	3

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				REPAIR PARTS FOR ARMAMENT SUBSYSTEM M23 (EXCLUDING MACHINE GUN M60D)												
				BAG, EJECTION CONTROL 11699714												
C	P	O ..	1005-903-1146	BAG, EMPTY CARTRIDGE: 11699740 (19205)	EA	1	2	4	7	2	4	7	84	9	15	1
	X1	.....	.....	FRAME ASSEMBLY: 11699695 (19204)	..	1	..	..	..	..	..	..	..	..	15	2
C	P	O ..	5315-815-1405	PIN, COTTER: MS24665-151 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	15	3
C	P	O ..	5315-903-1038	PIN, STRAIGHT, HEADED: 11699713 (19205)	EA	2	1	2	4	1	2	4	48	10	15	4
C	P	O ..	1005-903-1039	SPRING, HELICAL, TORSION: 11699712 (19205)	EA	2	1	2	4	1	2	4	48	10	15	5
C	P	O ..	1005-903-1040	LATCH, SAFETY, REAR BRACKET: 11699711 (19205)	EA	1	2	3	5	2	3	5	60	10	15	6
C	P	O ..	5315-753-3635	PIN, SPRING: TABULAR COILED, 3/32 DIA, 3/8 LG MS51923-104 (96906)	EA	2	1	2	4	1	2	4	48	10	15	7
N	X1	.....	.....	FRAME SUBASSEMBLY: 11699696 (19204)	..	1	..	..	..	..	..	..	..	..	15	8
				MOUNT ASSEMBLY (FOR M23 ONLY) A 11699749												
C	P	O ..	5315-234-1854	PIN, COTTER: A MS24665-153 (96906)	HD	4	*	1	1	*	1	1	12	50	16	1
C	P	O ..	5310-167-1280	NUT, CASTELLATED, HEXAGON: A AN310-C4 (88044)	HD	4	*	1	1	*	1	1	12	50	16	2
C	P	O ..	5310-141-1795	WASHER, FLAT: A AN960-416 (88044)	HD	4	*	1	1	*	1	1	12	50	16	3
C	P	O ..	5306-151-0528	BOLT, CLEVIS: A AN24-26 (88044)	EA	4	1	2	2	1	2	2	24	50	16	4
C	P	O ..	9505-293-4208	WIRE, STEEL, CORROSION RESISTING: A MS20995C32 (96906)	FT	V	REF	REF	REF	REF	REF	REF	REF	REF	16	5
C	P	O ..	5305-952-1967	SCREW, CAP, SOCKET-HEAD: 3/8-24UNF, 1.150 LG MS24678-47 (96906)	EA	6	2	4	6	2	4	6	72	50	16	6
C	P	O ..	5310-080-6004	WASHER, FLAT: A MS27183-14 (96906)	EA	6	*	1	1	*	1	1	12	150	16	7
C	P	O ..	1005-903-1036	BEAM, MOUNTING: A 11699727 (19205)	EA	1	2	3	5	2	3	5	60	10	16	8

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST—Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	O ..	1005-903-1034	BEAM, MOUNTING: 11699728 (19205) A	EA	1	2	3	5	2	3	5	60	10	16	9
C	P	O ..	5315-597-7092	PIN, COTTER: 1/16 DIA, 2 1/2 LG MS24665-144 (96906) A	EA	1	*	1	1	*	1	1	12	100	16	10
C	P	O ..	5310-903-1035	NUT, PLAIN, ROUND: 11699724 (19205) A	EA	1	1	2	4	1	2	4	48	10	16	11
	X1	.....	.....	POST ASSEMBLY, PINTLE: 11699723 (19205) A	..	1	..	..	..	..	..	..	..	..	16	12
	X1	.....	.....	TUBE ASSEMBLY, BASE: 11699733 (19205) A	..	1	..	..	..	..	..	..	..	..	16	13
C	P	O ..	1005-903-1094	AMMUNITION BOX AND COVER ASSEMBLY: 11699743 (19205) A	EA	1	1	2	2	1	2	2	24	10	16	14
N	A	O ..	.....	CHUTE ASSEMBLY, FLEXIBLE: 7792346-5 (19205) A	..	1	..	..	..	..	..	..	..	..	16	15
C	P	O ..	1005-940-9996	ADAPTER, AMMUNITION CHUTE: 11686424 (19205) A	EA	1	1	2	3	1	2	3	36	15	16	16
C	A	O ..	.....	BRACE ASSEMBLY, CHUTE: 11699819 (19205) A	..	1	..	..	..	..	..	..	..	..	16	17
				POST ASSEMBLY, PINTLE 11699723												
C	P	O ..	5310-061-7325	NUT, SELF-LOCKING, HEXAGON: MS21045-4 (96906) A	EA	1	3	6	11	3	6	11	132	100	17	1
C	P	O ..	5305-267-8983	SCREW, CAP, HEXAGON-HEAD: 1/4-28UNF, 2.500 LG MS90726-16 (96906) A	EA	1	1	2	3	1	2	3	36	20	17	2
C	P	O ..	5310-263-2862	NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906) A	EA	1	2	4	6	2	4	6	72	600	17	3
C	P	O ..	5306-939-1045	BOLT, MACHINE: NO. 10-32 UNF-3A, 2 1/4 LG MS9451-30 (96906) A	EA	1	1	2	2	1	2	2	24	5	17	4
C	P	O ..	1005-903-1043	SPACER, SLEEVE: 11699725 (19205) A	EA	1	2	3	5	2	3	5	60	7	17	5
C	P	O ..	1005-903-1042	LOCK, TRAVERSING: 11699722 (19205) A	EA	1	2	3	5	2	3	5	60	7	17	6
C	P	O ..	5315-058-6078	PIN, SPRING: MS16562-126 (96906) A	EA	1	2	4	6	2	4	6	72	200	17	7
C	P	O ..	1005-946-9222	POST AND PINTLE SUBASSEMBLY: 11699826 (19205) A	EA	1	1	2	4	1	2	4	48	10	17	8
				CONSISTING OF:												
C	P	O ..	5305-909-3010	RETAINER, BALL BEARING: 11699670 (19205) D	EA	1	2	3	5	2	3	5	60	5	17	9

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	O ..	3110-100-6149	BALL, BEARING: MS19059-47 (96906)	EA	12	REF	REF	REF	REF	REF	REF	REF	REF	17	10
	X1	.....	.....	PINTLE: 11699721 (19205) A	..	1	..	..	..	..	..	..	..	..	17	11
	X1	.. ..	.....	POST SUBASSEMBLY: 11699806 (19205) A	..	1	..	..	..	..	..	..	..	..	17	12
				AMMUNITION BOX AND COVER ASSEMBLY 11699743 A												
C	P	F ..	1005-903-1093	COVER ASSEMBLY, AMMUNITION BOX: 11699741 (19205) A	EA	1	1	2	3	1	2	3	36	6	18	1
C	P	F ..	1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	18	2
C	P	F ..	1005-912-3627	CABLE, PIN, SAFETY: 8427869-7 (19204)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	18	3
	X1	.....	.....	BOX, AMMUNITION: 11699742 (19205) A	..	1	..	..	..	..	..	..	..	..	18	4
				CHUTE, AMMUNITION, FLEXIBLE-7.62 MILLIMETER 7792346-5												
C	P	O ..	1005-972-8128	FITTING, GUN END: 7792345 (19205) A	EA	1	2	4	7	2	4	7	84	15	19	1
C	P	O ..	1005-972-8126	LINK, AMMUNITION CHUTE: 7792343 (19205) A	EA	46	5	11	21	5	11	21	252	100	19	2
C	P	O ..	1005-972-8127	FITTING, BOX END: 7792344 (19205) A	EA	1	2	4	7	2	4	7	84	15	19	3
				BRACE ASSEMBLY, CHUTE 11699819 A												
C	P	O ..	5310-982-4988	NUT, SELF-LOCKING, HEXAGON: MS21045C4 (96906) A	HD	2	1	2	4	1	2	4	48	50	20	1
C	P	O ..	1005-999-3055	CLAMP ASSEMBLY, STUD: 11699825 (19205) A	EA	2	1	2	4	1	2	4	48	20	20	2
C	P	O ..	1005-999-3053	CLAMP ASSEMBLY, SPRING RETAINER: 11699822 (19205) A	EA	1	1	2	4	1	2	4	48	20	20	3
	P	O ..	5310-263-2862	NUT, SELF-LOCKING, HEXAGON: MS21045C3 (96906) A	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	20	4
C	P	O ..	1005-999-3054	SPRING, CHUTE BRACE ASSEMBLY: 11699823 (19205) A	EA	1	1	2	4	1	2	4	48	20	20	5

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST—Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				REPAIR PARTS FOR ARMAMENT SUBSYSTEM M24 (EXCLUDING MACHINE GUN M60D)												
				BAG, EJECTION CONTROL 11699714 FOR LIST OF REPAIR PARTS REFER TO FIGURE 15												
				CAN ASSEMBLY, AMMUNITION 11699679 E												
C	P	O ..	5315-013-7137	PIN, COTTER: 060 DIA, 1/8 OUTSIDE EYE DIA, 5/64 HOLE SIZE MS24665-814 (96906) E	EA	1	3	6	11	3	6	11	132	100	21	1
C	P	O ..	5315-087-8226	PIN, STRAIGHT, HEADED: MS20392-2C21 (96906) E	EA	1	1	2	2	1	2	2	24	20	21	2
C	P	O ..	1005-903-1092	SPRING, HELICAL, COMPRESSION: 11699684 (19205) E	EA	1	1	1	2	1	1	2	24	5	21	3
C	P	O ..	5320-061-8216	RIVET, SOLID: MS20613-4P10 (96906) E	LB	1	1	2	2	1	2	2	24	20	21	4
C	P	O ..	1005-903-1091	PLUNGER, HOLDING: 11699683 (19205) E	EA	2	1	2	3	1	2	3	36	5	21	5
				MOUNT ASSEMBLY, (FOR M24 ONLY) LEFT SIDE 11699655 AND RIGHT SIDE 11699658 D												
	P	O ..	5305-909-3010	RETAINER, BALL BEARING: 11699670 (19205) D	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	22	1
	P	O ..	3110-100-6149	BALL, BEARING: MS19059-47 (96906)	EA	24	REF	REF	REF	REF	REF	REF	REF	REF	22	2
C	P	O ..	1005-909-3019	PIVOT, PINTLE: 11699669 (19205) B	EA	2	1	2	4	1	2	4	48	6	22	3
C	P	O ..	1005-909-3031	CORD ASSEMBLY, SHOCK: 11699674-1 (19205) B	EA	2	3	6	11	3	6	11	132	200	22	4
	P	F ..	1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	22	5
	P	F ..	1005-912-3627	CABLE, PIN, SAFETY: 8427869-7 (19204)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	22	6
C	P	F ..	5340-909-3034	PIN, QUICK RELEASE: 11699671 (19205) B	EA	2	2	4	6	2	4	6	72	50	22	7

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
	X1	.....	.....	MOUNT SUBASSEMBLY, LEFT HAND: 11699656 (19205) B	..	1	..	..	..	..	..	..	..	..	22	8
	X1	.....	.....	MOUNT SUBASSEMBLY, RIGHT HAND: 11699659 (19205) B	..	1	..	..	..	..	..	..	..	..	22	8
				REPAIR PARTS FOR ARMAMENT SUBSYSTEM M41 (EXCLUDING MACHINE GUN M60D)												
				BAG, EJECTION CONTROL 11699714 FOR LIST OF REPAIR PARTS REFER TO FIGURE 15												
				CAN ASSEMBLY, AMMUNITION 11699679 FOR LIST OF REPAIR PARTS REFER TO FIGURE 21												
				MOUNT ASSEMBLY, REAR RAMP (FOR M41 ONLY) 8436675 C												
C	P	O ..	5315-810-3704	PIN, SPRING: MS16562-80 (96906) C	EA	1	2	4	6	2	4	6	72	40	23	1
C	P	O ..	1005-061-5638	PINTLE: 8436685 (19204) C	EA	1	1	2	2	1	2	2	24	10	23	2
C	P	O ..	3120-062-4488	BEARING, SLEEVE: 8436686 (19204) C	EA	1	1	1	2	1	1	2	24	10	23	3
C	P	O ..	1005-061-5624	CORD ASSEMBLY, ELASTIC: 11699674-2 (19204) C	EA	1	2	4	6	2	4	6	72	50	23	4
	P	F ..	1005-912-3629	SLEEVE, SWAGING: 8427871 (19204)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	23	5
C	P	F ..	4010-061-5630	CABLE, PIN, SAFETY: 8427869-3 (19204) C	EA	1	1	2	4	1	2	4	48	24	23	6
C	P	F ..	5340-884-8666	PIN, QUICK RELEASE: 0.311 DIA, 1.945 LG MS17990C510 (96906) C	EA	1	2	4	6	2	4	6	72	46	23	7
	X1	.....	.....	POST ASSEMBLY, PINTLE: 8436680 (19204) C	..	1	..	..	..	..	..	..	..	..	23	8
				WRENCH, SCREWDRIVER AND REAMER COMBINATION 7790680												
C	P	F ..	5315-608-5314	PIN, SHOULDER, HEADED: 7269348 (19205)	EA	1	1	2	4	1	2	4	48	4	24	1
C	P	F ..	5310-608-5315	WASHER, SPRING TENSION: 7269349 (19205)	EA	1	1	2	4	1	2	4	48	8	24	2

Section V. DIRECT SUPPORT AND GENERAL SUPPORT REPAIR PARTS LIST —Continued

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
C	P	F ..	4933-776-0037	REAMER ASSEMBLY: 7790805 (19205)	EA	1	1	2	4	1	2	4	48	32	24	3
	X1	.....	.....	WRENCH: 7790679 (19205)	..	1	..	..	..	..	..	..	..	..	24	4

Section VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description / Reference Number & Mfr Code / Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				TOOLS AND EQUIPMENT												
C	P	O ..	1005-288-3565	SWAB, CLEANING, SMALL ARMS: 5019316 (19204)	PG	1	1	2	4	1	2	4	48	24	25	11
N	P	C ..	1005-350-4100	BRUSH, CLEANING, SMALL ARMS: RECEIVER 8448466 (19204)	EA	1	1	2	4	1	2	4	48	100	25	9
C	P	C ..	1005-556-4174	BRUSH, CLEANING, SMALL ARMS: BORE 5564174 (19204)	EA	1	2	4	8	2	4	8	96	100	25	8
C	P	C ..	1005-690-3115	BRUSH, CLEANING, SMALL ARMS: CHAMBER 7790452 (19204)	EA	1	2	4	8	2	4	8	96	100	25	4
C	P	C ..	1005-694-1662	BUFFER, CLEANING ROD: 7268275 (19204)	EA	1	2	4	6	2	4	6	72	48	25	6
C	P	C ..	1005-726-6109	ROD SECTION, CLEANING ROD: 7266109 (19205)	EA	5	3	6	11	3	6	11	132	96	25	7
C	P	C ..	1005-726-6110	SWAB HOLDER SECTION, CLEANING ROD: 7266110 (19205)	EA	1	2	4	6	2	4	6	72	48	25	10
C	P	C ..	1005-791-5420	CASE, CARRYING, BARREL ASSEMBLY: 7791009 (19205)	EA	1	1	1	2	1	1	2	24	10	25	15
C	P	C ..	1005-793-6761	HANDLE ASSEMBLY, CLEANING ROD: 7266115 (19205)	EA	1	1	2	4	1	2	4	48	24	25	5
C	P	C ..	1005-994-9647	PLUG, END LINK: 7791595 (19205)	EA	10	13	30	58	13	30	58	696	500	25	2
C	P	O ..	1005-999-7783	MAGAZINE ASSEMBLY: 11686442 (19205)	EA	2	1	2	2	1	2	2	24	10	25	16
C	P	C ..	1680-516-8427	HARNESS, AIRCRAFT SAFETY, SHOULDER: 51J3817 (80049)	EA	2	1	2	2	1	2	2	24	12	25	17
C	P	C ..	4933-652-9950	EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204)	EA	1	*	1	2	*	1	2	24	1	25	14
C	P	O R	5120-690-3766	WRENCH, SCREWDRIVER AND REAMER COMBINATION: 7790680 (19204) FOR LIST OF REPAIR PARTS REFER TO FIGURE 24	EA	..	2	3	5	2	3	5	60	8	25	1
N	P	F ..	6850-826-0981	KIT, INSPECTION PENETRANT: MILI25135 (81349)	BX	..	*	*	*	*	*	*	12	..	25	18
C	P	C ..	7510-763-5996	ENVELOPE, TRANSPARENT: MILE43183 (81349)	EA	1	1	2	4	1	2	4	48	48	25	13
C	P	C ..	8415-266-8843	MITTEN, CLOTH: MILM11199 (81349)	PR	1	1	2	4	1	2	4	48	10	25	12
C	P	C ..	9150-889-3522	LUBRICATING OIL, SEMIFLUID: 4 OZ 7791359 (19205)	TU	1	2	4	8	2	4	8	96	10	25	3

Section VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description — Reference Number & Mfr Code — Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				THE 30 DAY LEVEL DOES NOT APPLY TO SPECIAL TOOLS AND EQUIPMENT FOR DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE. ITEMS IN THE FOLLOWING LISTS ARE AUTHORIZED AS SHOWN TO DS AND GS UNITS SUPPORTING SUBSYSTEMS M23, M24, AND M41.													
				SPECIAL TOOLS FOR DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE														
				THE TOOLS AND KIT LISTED BELOW ARE AUTHORIZED ONE (1) TO EACH DS AND GS COMPANY														
			4933-652-9950	EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19204)														
			5120-690-3766	WRENCH, SCREWDRIVER AND REAMER COMBINATION: 7790680 (19204)														
			6850-826-0981	KIT, INSPECTION PENETRANT: MILI25135 (81349)														
				SPECIAL MAINTENANCE TOOLS THE KIT AND SETS LISTED BELOW WILL BE ISSUED AS REQUIRED.														
				TOOL KIT, FIELD MAINTENANCE, BASIC, SMALL ARMS (FSN 4933-775-0366) (LISTED IN SM 9-4-4933-E04)														
				TOOL SET, FIELD MAINTENANCE, 7.62 MILLIMETER MACHINE GUN AND MOUNTS (FSN 4933-999-4810)														
				TOOL SET, DEPOT MAINTENANCE, CAL. .30 AND 7.62 MILLIMETER MACHINE GUN AND MOUNTS (FSN 4933-714-2807) (LISTED IN SM 9-4-4933-E05)														
				COMMON MAINTENANCE TOOLS THE SETS LISTED BELOW ARE AUTHORIZED IN ACCORDANCE WITH TOE.														
				TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 427, BASIC (FSN 4933-987-9816) (LISTED IN SC 4933-95-CL-A13)														

Section VI. DIRECT SUPPORT AND GENERAL SUPPORT TOOLS, TEST AND SUPPORT EQUIPMENT LIST

(1) Source Maint and Recov code (a) Source	(b) Maint	(c) Recov	(2) Federal Stock No.	(3) Description — Reference Number & Mfr Code — Usable on code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-day GS maint allowance (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-yr alw per 100 equip cntgcy	(9) Depot maint alw per 100 equip	(10) Illustration (a) Figure No	(b) Item No.
				TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 427, SUPPLEMENTAL (FSN 4933-994-9242) (LISTED IN SC 4933-95-CL-A14)													
				TOOL KIT, SMALL ARMS: (FSN 4933-754-0664) (LISTED IN SM 9-4-4933-A13)														

Section VII. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO	ITEM NO
1005-013-7030	7	11
1005-020-8684	6	6
1005-061-5624	23	4
1005-061-5638	23	2
1005-066-6061	14	2
1005-083-0291	4	48
1005-288-3565	25	11
1005-350-4100	25	9
1005-556-4174	25	8
1005-603-9285	4	37
1005-608-5001	4	1
1005-608-5002	5	10
1005-608-5004	5	8
1005-608-5005	5	5
1005-608-5008	5	2
1005-608-5020	6	8
1005-608-5021	6	7
1005-608-5026	6	4
1005-608-5027	6	3
1005-608-5037	12	3
1005-608-5039	12	5
1005-608-5057	12	11
1005-608-5059	12	9
1005-608-5060	12	12
1005-608-5061	12	4
1005-608-5089	7	12
1005-608-5090	7	13
1005-608-5091	7	19
1005-608-5093	7	14
1005-608-5096	7	3
1005-608-5097	7	2
1005-608-5098	7	4
1005-608-5099	7	25
1005-608-5109	7	22
1005-608-5110	7	21
1005-608-5111	7	27
1005-608-5113	7	28
1005-608-5114	7	30
1005-608-5118	7	8
1005-608-5119	7	7
1005-608-5124	7	15
1005-608-5172	4	26
1005-608-5180	11	5
1005-608-5182	11	4
1005-608-5184	11	6
1005-608-5203	4	35
1005-608-5208	14	1
1005-608-5210	14	3
1005-608-5214	4	3
1005-608-5218	4	2
1005-608-5221	4	34
1005-608-5270	4	33
1005-608-5271	4	27
1005-608-5299	8	3
1005-608-5300	8	2
1005-690-3115	25	4
1005-690-3502	4	44
1005-690-3504	4	43
1005-690-3505	4	42
1005-694-1662	25	6
1005-726-6109	25	7
1005-726-6110	25	10
1005-763-1863	4	25
1005-768-7084	8	1
1005-779-6030	12	10
1005-788-6109	13	3
1005-791-5420	25	15
1005-793-6761	25	5
1005-870-2118	7	23
1005-872-4441	12	13
1005-872-4442	12	8
1005-872-4443	12	6
1005-872-4445	12	2
1005-875-4350	5	7
1005-903-1034	16	9
1005-903-1036	16	8
1005-903-1039	15	5
1005-903-1040	15	6
1005-903-1042	17	6
1005-903-1043	17	5
1005-903-1088	1	1
1005-903-1088	2	1
1005-903-1088	3	1
1005-903-1090	2	2
1005-903-1090	3	2
1005-903-1091	21	5
1005-903-1092	21	3
1005-903-1093	18	1
1005-903-1094	16	14
1005-903-1146	15	1
1005-908-4141	4	24
1005-909-3002	1	2
1005-909-3002	2	3
1005-909-3002	3	3
1005-909-3003	4	10
1005-909-3005	11	3
1005-909-3008	11	7
1005-909-3009	11	8
1005-909-3011	4	21
1005-909-3012	9	8
1005-909-3013	11	10
1005-909-3014	11	2
1005-909-3016	4	23
1005-909-3017	11	9
1005-909-3018	10	4
1005-909-3019	22	3
1005-909-3020	4	22
1005-909-3021	4	17
1005-909-3022	10	7
1005-909-3023	4	11
1005-909-3024	4	12
1005-909-3025	9	5
1005-909-3031	22	4
1005-909-4179	10	3
1005-912-1146	7	9
1005-912-3627	4	14
1005-912-3627	18	3
1005-912-3627	22	6

STOCK NUMBER	FIGURE NO	ITEM NO
1005-912-3628	9	2
1005-912-3629	4	13
1005-912-3629	18	2
1005-912-3629	22	5
1005-912-3629	23	5
1005-912-3712	4	28
1005-913-0928	4	31
1005-918-2608	4	32
1005-918-2609	4	30
1005-934-8312	4	39
1005-940-9996	16	16
1005-946-9222	17	8
1005-972-8126	19	2
1005-972-8127	19	3
1005-972-8128	19	1
1005-987-9682	4	6
1005-987-9907	5	9
1005-994-9647	25	2
1005-999-3053	20	3
1005-999-3054	20	5
1005-999-3055	20	2
1055-999-6003	7	1
1005-999-7783	25	16
1680-516-8427	25	17
3110-100-6149	10	5
3110-100-6149	17	10
3110-100-6149	22	2
3120-062-4488	23	3
4010-061-5630	23	6
4933-652-9950	25	14
4933-776-0037	24	3
5120-690-3766	25	1
5305-267-8983	17	2
5305-608-5025	6	1
5205-753-4113	4	36
5305-909-3010	17	9
5305-909-3010	22	1
5305-952-1967	16	6
5306-151-0528	16	4
5306-939-1045	17	4
5310-061-7325	17	1
5310-080-6004	16	7
5310-141-1795	16	3
5310-158-4447	10	2
5310-167-1280	16	2
5310-263-2862	17	3
5310-263-2862	20	4
5310-608-5009	5	6
5310-608-5315	24	2
5310-810-3704	23	1
5310-903-1035	16	11
5310-981-8623	7	31
5310-982-4988	20	1
5315-013-7137	21	1
5315-058-6078	17	7
5315-058-6079	9	3
5315-066-6062	4	41
5315-067-3871	4	40
5315-067-3871	7	10
5315-087-8226	21	2
5315-234-1854	16	1
5315-239-8019	9	6
5315-409-4069	5	1
5315-597-7092	16	10
5315-608-5022	6	2
5315-608-5024	6	5
5315-608-5116	7	29
5315-608-5178	4	18
5315-608-5314	24	1
5315-753-3635	15	7
5315-761-6881	4	20
5315-812-3312	10	1
5315-815-1405	4	7
5315-815-1405	15	3
5315-839-0901	4	29
5315-839-0901	12	7
5315-878-8615	7	20
5315-903-1038	15	4
5315-909-3004	11	1
5315-909-3006	4	8
5315-909-3007	9	7
5315-909-3026	9	4
5315-919-7272	13	2
5315-940-9490	13	1
5315-994-9648	12	1
5320-061-8216	21	4
5320-071-8945	4	49
5320-075-7225	4	45
5320-083-0290	4	47
5320-608-5032	6	9
5320-608-5085	7	26
5320-608-5112	7	24
5340-884-8666	23	7
5340-909-3033	9	1
5340-909-3034	22	7
5340-913-5486	4	15
5340-952-4705	10	6
5360-608-5125	7	17
5360-608-5269	4	4
5360-608-5302	8	4
6850-826-0981	25	18
7510-763-5996	25	13
8020-244-0153		
8415-266-8843	25	12
9150-889-3522	25	3
9505-293-4208	4	9
9505-293-4208	5	4
9505-293-4208	16	5

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
AN24-26	88044	16	4
AN310C4	88044	16	2
AN960-416	88044	16	3
MILE43183	81349	25	13
MILI25135	81349	25	18
MILM11199	81349	25	12
MS16562-80	96906	23	1
MS16562-119	96906	10	1
MS16562-126	96906	17	7
MS16562-127	96906	9	3
MS16562-151	96906	4	20
MS17990C510	96906	23	7
MS17990C519	96906	4	15
MS19059-47	96906	10	5
MS19059-47	96906	17	10
MS19059-47	96906	22	2
MS20392-2C21	96906	21	2
MS20613-4P10	96906	21	4
MS20995C32	96906	4	9
MS20995C32	96906	5	4
MS20995C32	96906	16	5
MS21045-4	96906	17	1
MS21045C3	96906	17	3
MS21045C3	96906	20	4
MS21045C4	96906	20	1
MS24585-75	96906	10	6
MS24665-18	96906	4	40
MS24665-18	96906	7	10
MS24665-86	96906	9	6
MS24665-144	96906	16	10
MS24665-151	96906	4	7
MS24665-151	96906	15	3
MS24665-153	96906	16	1
MS24665-814	96906	21	1
MS24678-47	96906	16	6
MS27183-14	96906	16	7
MS39086-81	96906	4	29
MS39086-81	96906	12	7
MS51923-104	96906	15	7
MS51923-105	96906	13	1
MS90726-16	96906	17	2
MS9451-30	96906	17	4
11010152	19205	7	11
11010155	19205	4	37
11010184	19205	4	32
11010197	19205	4	31
11010215	19205	13	2
11010357	19205	4	25
11010358	19205	12	13
11010375	19205	12	8
11010376	19205	12	6
11010377	19205	4	30
11010518	19205	4	24
11686307	19204	4	50
11686308	19204	4	46
11686309	19205	4	28
11686315	19205	7	9
11686424	19205	16	16
11686442	19205	25	16
11686976	19205	4	39
11699655	19205	2	4
11699656	19205	22	8
11699658	19205	2	4
11699659	19205	22	8
11699669		22	3
11699670	19205	17	9
11699670	19205	22	1
11699671	19205	22	7
11699674-1	19205	22	4
11699674-2	19204	23	4
11699679	19205	2	2
11699679	19205	3	2
11699683	19205	21	5
11699684	19205	21	3
11699695	19204	15	2
11699711	19205	15	6
11699712	19205	15	4
11699713	19205	15	4
11699714	19205	1	1
11699714	19205	3	1
11699721	19205	17	11
11699722	19205	17	6
11699723	19205	16	12
11699724	19205	16	11
11699725	19205	17	5
11699727	19205	16	8
11699728	19205	16	9
11699733	19205	16	13
11699740	19205	15	1
11699741	19205	18	1
11699742	19205	18	4
11699743	19205	16	14
11699749	19205	1	3
11699750	19205	1	2
11699750	19205	2	3
11699750	19205	3	3
11699751	19205	4	12
11699756	19205	9	8
11699757	19205	9	7
11699763	19205	10	2
11699767	19205	9	5
11699768	19205	9	4
11699769	19205	9	2
11699772	19205	9	1
11699773	19205	4	19
11699774	19205	11	10
11699775	19205	11	9
11699776	19205	11	8
11699777	19205	11	7
11699778	19205	11	3
11699779	19204	11	1
11699780	19205	11	2
11699785	19205	4	17
11699786	19205	4	22
11699787	19205	4	23

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
11699788	19205	4	8
11699789	19205	4	10
11699790	19205	4	11
11699793	19205	4	21
11699796	19204	4	16
11699797	19205	10	7
11699798	19205	10	3
11699799	19205	10	4
11699806	19205	17	12
11699814	19205	7	1
11699817	19205	7	5
11699819	19205	16	17
11699822	19205	20	3
11699823	19205	20	5
11699825	19205	20	2
11699826	19205	17	8
5019316	19204	25	11
51J3817	80049	25	17
5564174	19204	25	8
7266109	19205	25	7
7266110	19205	25	10
7266115	19205	25	5
7268275	19204	25	6
7269027	19204	4	1
7269028	19205	5	10
7269030	19205	5	8
7269031	19205	5	5
7269034	19205	5	2
7269035	19205	5	6
7269046	19205	6	8
7269047	19205	6	7
7269048	19205	6	2
7269050	19205	6	5
7269051	19205	6	1
7269052	19205	6	4
7269053	19205	6	3
7269054	19205	6	12
7269055	19205	6	14
7269056	19205	6	15
7269057	19205	6	10
7269058	19205	6	9
7269059	19205	6	11
7269061	19205	6	13
7269062	19205	6	16
7269063	19205	12	3
7269065	19205	12	5
7269083	19205	12	11
7269085	19205	12	9
7269086	19205	12	12
7269087	19205	12	4
7269112	19205	7	26
7269114	19205	4	5
7269116	19205	7	12
7269117	19205	7	13
7269118	19205	7	19
7269119	19205	7	6
7269120	19205	7	14
7269123	19205	7	3
7269124	19205	7	2
7269125	19205	7	4
7269126	19205	7	25
7269128	19205	7	32
7269136	19205	7	22
7269137	19205	7	21
7269138	19205	7	27
7269139	19205	7	24
7269140	19205	7	28
7269141	19205	7	30
7269143	19205	7	29
7269144	19205	7	31
7269145	19205	7	8
7269146	19205	7	7
7269149	19205	7	18
7269150	19205	7	16
7269151	19205	7	15
7269152	19205	7	17
7269199	19205	4	26
7269205	19205	4	18
7269207	19205	11	5
7269209	19205	11	4
7269211	19205	11	6
7269231	19205	4	35
7269237	19205	14	1
7269239	19205	14	3
7269243	19205	4	3
7269247	19205	4	2
7269250	19205	4	34
7269301	19205	4	4
7269302	19205	4	33
7269303	19205	4	27
7269332	19205	8	3
7269333	19205	8	2
7269335	19205	8	4
7269348	19205	24	1
7269349	19205	24	2
7269411	19205	4	49
7790352	19204	25	14
7790452	19204	25	4
7790551	19205	4	44
7790553	19205	4	43
7790554	19205	4	42
7790559	19205	4	36
7790679	19205	24	4
7790680	19204	25	1
7790724	19205	8	1
7790805	19205	24	3
7790907	19205	12	10
7790942	19205	13	3
7791009	19205	25	15
7791247	19205	5	7
7791270	19205	7	20
7791271	19205	7	23
7791359	19205	25	7
7791522	19205	14	2
7791523	19205	12	2
7791595	19205	25	2

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7791621	19205	4	38
7792069	19205	4	43
7792085	19205	5	1
7792086	19205	4	45
7792093	19205	5	9
7792096	19205	4	6
7792097	19205	8	5
7792343	19205	19	2
7792344	19205	19	3
7792345	19205	19	1
7792346-5	19204	16	15
7792920	19205	12	1
7792972	19205	4	47
7792974	19205	4	48
7793009	19205	5	3
7793010	19205	6	6
8427869-3	19204	23	6
8427869-7	19204	4	14
8427869-7	19204	18	3
8427869-7	19204	21	6
8427871	19204	4	13
8427871	19204	18	2
8427871	19204	22	5
8427871	19204	23	5
8436675	19204	3	4
8436680	19204	23	8
8436685	19204	23	2
8436686	19204	23	3
8448466	19204	25	9




Figure 1. Components of Armament Subsystem M23.




Figure 2. Components of Armament Subsystem M24.




Figure 3. Components of Armament Subsystem M41.




Figure 4. 7.62 Millimeter Machine Gun M60D—Partially Exploded View (Sheet 1 of 2).




Figure 4. 7.62 Millimeter Machine Gun M60D—Partially Exploded View (Sheet 2 of 2).




Figure 5. Barrel Assembly with Bipod Assembly—Partially Exploded View.




Figure 6. Bipod Assembly—Partially Exploded View.




Figure 7. Cover Assembly—Exploded View.




Figure 8. Cartridge Tray Assembly—Exploded View.






Figure 9. Grip and trigger Assembly—Partially Exploded View.




WE 10494

Figure 10. Rear Sight Assembly—Exploded View.



WE 13559

Figure 11. Sear and Safety Housing Assembly—Exploded View.



WE 9963

Figure 12. Breech Bolt Assembly—Exploded View.




Figure 13. Operating Rod Assembly—Partially Exploded View.




Figure 14. Handle Assembly—Exploded View.




Figure 15. Ejection Control Bag—Partially Exploded View.




Figure 16. Mount Assembly M23—Exploded View.




Figure 17. Pintle Post Assembly—Exploded View.




Figure 18. Ammunition Box and Cover Assembly—Exploded View.




Figure 19. Flexible Chute Assembly—Partially Exploded View.




Figure 20. Chute Brace Assembly—Exploded View.




Figure 21. Ammunition Can Assembly—Partially Exploded View.




Figure 22. Mount Assembly M24—Exploded View—Left Side Shown.




Figure 23. Rear Ramp Mount Assembly M41—Exploded View.




Figure 24. Combination Screwdriver and Reamer Wrench—Exploded View.





Figure 25. Tools and Equipment (sheet 1 of 2).



WE 68959

Figure 25. Tools and Equipment (sheet 2 of 2).

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:
To be distributed in accordance with DA Form 12-31, (qty rqr block no. 160) Organizational maintenance requirements for 7.62-MM Machine Gun, Door Mounted, M23, M24, Ramp Mounted, M41.

✪U.S. GOVERNMENT PRINTING OFFICE: 1977—241-382/5457B