TM 9-2320-211-10-HR

HAND RECEIPT MANUAL

COVERING THE END ITEM/COMPONENTS OF END ITEM (COEI),

BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION

LIST (AAL) RELATED TO

TRUCK, 5-TON, 6x6, M39 SERIES

CHASSIS: M40, M40A1, M40A1C, M40A2C, M61, M61A1, M61A2, M63, M63A1, M63A2, M63C, M63A1C, M63A2C, M139, M139A1, M139F, M139A1F, M139A2F;

CARGO: M54, M54A1, M54A2, M54A1C, M54A2C, M55, M55A1, M55A2; DUMP: M51, M51A1, M51A2;

TRACTOR: M52, M52A1, M52A2;

TRACTOR, WRECKER: M246, M246A1, M246A2;

VAN, EXPANSIBLE: M291A1, M29A2, M291A1D, M291A2D, WRECKER, MEDIUM: M62, M543, M543A1, M543A2 STAKE, BRIDGE TRANSPORTING: M328A1

BOLSTER: M748A1

HEADQUARTERS, DEPARTMENT OF THE ARMY

JANUARY 1979

HAND RECEIPT

TM 9-2320-211-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 31 *January 1979*

HAND RECEIPT MANUAL
COVERING END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR
TRUCK, 5-TON, 6 X 6, M39 SERIES

MODEL		NSN WITH WINCH	NSN WITHOUT WINCH
CHASSIS, TRUCK	M40	2320-00-835-8350	2323-00-835-8349
	M40A1	2320-00-880-4595	2320-00-880-4611
	M40A1C	2320-00-880-4616	
	M49A2C		2320-00-969-4114
	M61	2320-00-835-8333	2320-00-835-8332
	M61A1	2320-00-880-4622	2320-00-880-4623
	M61A2	2320-00-965-0321	2320-00-055-9264
	M63	2320-00-835-8331	2320-00-835-8330
	M63A1	2320-00-880-4624	2320-00-880-4629
	M63A2	2320-00-965-0321	2320-00-226-6251
	M63C	2320-00-215-4210	
	M63A1C	2320-00-880-4638	2320-00-880-4641
	M63A2C		2320-00-969-4113
	M139	2320-00-835-8347	
	M139A1	2320-00-880-4649	2320-00-880-4650
	M139F	2320-00-746-6001	
	M139A1F	2320-00-880-4654	
	M139A2F	2320-00-226-5648	
CARGO	M54	2320-00-835-8335	2320-00-835-8348
	M54A1	2320-00-086-7482	2320-00-086-7481
	M54A2	2320-00-055-9265	2320-00-055-9266
	M54A1C	2320-00-880-4612	2320-00-880-4614
	M54A2C	2320-00-926-0874	2320-00-761-2854
	M55	2320-00-391-0570	2320-00-200-1878
	M55A1	2320-00-880-4634	2320-00-880-4635
	M55A2	2320-00-055-9259	2320-00-073-8476
DUMP	M51	2320-00-835-8337	2320-00-835-8336
	M51A1	2320-00-045-7132	2320-00-045-7131
	M51A2	2320-00-055-9263	2320-00-055-9262
TRACTOR	M52	2320-00-835-8329	2320-00-835-8326
	M52 (hard top cab)		2320-00-835-8530
	M52A1	2320-00-086-7480	2320-00-086-7479
	M52A2	2320-00-055-9260	
TRACTOR, WRECKER	M246	2320-00-835-8639	
	M246A1	2320-00-695-9375	
	M246A2	2320-00-073-8251	
VAN, EXPANSIBLE	M291A1		2320-00-880-4642

MODEL		NSN WITH WINCH	NSN WITHOUT WINCH
	M291A2		2320-00-907-0706
	M291A1D		2320-00-880-4647
	M291A2D		2320-00-907-0708
WRECKER, MEDIUM	M62	2320-00-835-8325	
	M543	2320-00-445-0866	
	M543A1	2320-00-880-4618	
	M543A2	2320-00-055-9258	
STAKE, BRIDGE TRANSPORTING	M328A1	2320-00-880-4652	
BOLSTER	M748A1	2320-00-880-4615	

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) or DA Form 2028-2 (Recommended Changes to Equipment Technical Manuals) located in the back of the manual and mail the form direct to Commander, US Army Tank-Automotive Materiel Readiness Command, ATTN: DRSTA-MBA, Warren, MI 48090. A reply will be furnished direct to you.

Page

SECTION I. INTRODUCTION 2
II. HAND RECEIPT

SECTION I
INTRODUCTION

1. Scope

This hand receipt manual provides a listing on preprinted DA Form 2062 (Hand Receipt) of accountable end items/COEI, BII, and AAL items related to the M39 series 5-Ton trucks.

2. General

Section II of this manual is an overprinted DA Form 2062 consisting of a listing of the end item/components of end items (COEI), basic issue items (BII), and additional authorization list (AAL) items extracted from TM 9-2320-211-10. The listings consist of exactly the same items and are in the same sequence as the end item/COEI, BII and AAL listings in the operator's manual. The overprinted DA Form 2062 will aid the property accountability officers in preparation of hand receipts referred by AR 710-2. Local reproduction of the overprinted DA Form 2062 is authorized. Units should insure that local policies are adhered to in respect to the reproduction of the DA Form 2062 by local office copying equipment; field printing plant; and duplicating plant facilities. Extra copies of the HR manual are available through:

Commander
US Army AG Publications Center
ATTN: AGDL-OD
1655 Woodson Road
St. Louis, MO 63114

3. Explanation of Blocks and Columns

(Refer to ch. 2, AR 710-2.)

Usable on code. "Usable on" codes, found in the "ITEM DESCRIPTION" column, identify which items are used on different models. The codes used in this hand receipt are:

Code	*Used on*
A	All
AS	All w/winch
BA	M51, M51A1, M51A2
BB	M52, M52A1, M52A2
BC	M54, M54A1, M54A2
BD	M54A1C, M54A2C
BE	M55, M55A1, M55A2
BG	M62
BH	M246, M246A1, M246A2
BJ	M291A1, M291A2
BK	M292A1D, M292A2D
BL	M328A1
BM	M543, M543A1, M543A2
BO	M748A1
CA	M40, M40A1, M40A1C, M40A2C
CB	M61, M61A1, M61A2
CC	M63, M63A1, M63A2, M63C, M63A1C, M63A2C
CD	M139, M139A2
CE	M139F, M139A1F, M139A2F

SECTION II
HAND RECEIPT

HAND RECEIPT/ANNEX NO.
For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO: Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO.	CURR OF ALW	ITEM
TM9-2320-211-10		TRUCK, 5-Ton M39 Series

STOCK NO.	END ITEM/COMPONENTS OF END ITEM (COEI) ITEM DESCRIPTION part no, FSCM, & useable on code	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
2320-00-835-8350	CHASSIS M40 w/Winch														
2320-00-835-8349	M40 w/out Winch														
2320-00-880-4597	M40A1 w/Winch														
2320-00-880-4611	M40A1 w/out Winch														
2320-00-880-4616	M40A1C w/Winch														
2320-00-969-4114	M49A2C w/out Winch														
2320-00-835-8333	M61 w/Winch														
2320-00-835-8332	M61 w/out Winch														
2320-00-880-4622	M61A1 w/Winch														
2320-00-880-4623	M61A1 w/out Winch														
2320-00-965-0321	M61A2 w/Winch														
2320-00-055 9264	M61A2 w/out Winch														
2320-00-835-8331	M63 w/Winch														
2320-00-835-8330	M63 w/out Winch														
2320-00-880-4624	M63A1 w/Winch														

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 1
NO. OF PAGES 4

DA FORM 1 JAN 56 2062 Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (COEI)	T[1] (a)	C[2] (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
2320-00-880-4629	M63A1 w/out Winch														
2320-00-965-0321	M63A2 w/Winch														
2320-00-226-6251	M63A2 w/out Winch														
2320-00-215-4210	M63C w/Winch														
2320-00-880-4638	M63A1C w/Winch														
2320-00-880-4641	M63A1C w/out Winch														
2320-00-969-4113	M63A2C w/out Winch														
2320-00-835-8347	M139 w/Winch														
2320-00-880-4649	M139A1 w/Winch														
2320-00-880-4650	M139A1 w/out Winch														
2320-00-746-6001	M139F w/Winch														
2320-00-880-4654	M139A1F w/Winch														
2320-00-226-5648	M139A2F w/Winch														
	CARGO M54														
	M54A1														
	M54A2														
	M54A1C														
	M54A2C														
	M55														

[1]T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
[2]C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 2
NO. OF PAGES 4

☆U.S.GPO:1976-0-665-697/1042

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (COEI)	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	M55A1														
	M55A2														
	DUMP M51														
	M51A1														
	M51A2														
	TRACTOR M52														
	M52A1														
	M52A2														
	TRACTOR WRECKER M246														
	M246A1														
	M246A2														
	VAN, EXPANSIBLE M291A1														
	M291A2														
	M291A1D														
	M291A2D														
	WRECKER, MEDIUM M62														
	M543														
	M543A1														
	M543A2														

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 3
NO. OF PAGES 4

Current as of 30 November 1977.

☆U.S.GPO:1976-0-665-697/1042

STOCK NO.	ITEM DESCRIPTION (COEI)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	STAKE, BRIDGE TRANSPORTING M328A1														
	BOLSTER M748A1														
2590-00-473 6331	BRACKET, DRUM, INFLAMMABLE LIQUID: S, welded, w/strap MS53052-1 (96906) A (except	1													
	BG, BH, BM)														
2590-00-473-6331	BRACKET, DRUM, INFLAMMABLE LIQUID: S, welded, w/strap MS53052-1 (96906) BG, BH, BM	1													
4910-00-357-	BRACKET: pioneer tools 7346922 BA, BB, BC, BD, BE, BG, BH, BM														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 4
NO. OF PAGES 4

HAND RECEIPT/ANNEX NO.

For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO: Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO	CURR OF ALW	ITEM
TM9-2320-211-10		TRUCK, 5-Ton M39 Series

STOCK NO.	Basic Issue Items List (BII) ITEM DESCRIPTION part no, FSCM & Usable on code	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
3020-00-541-2848	BAG ASSEMBLY, PAMPHLET: canvas 7961712 (19207) A	1													
5340-00-040-2102	BAR: cranking, outrigger 1 in dia, 24 in lg 8328453 (19207) BG, BH	2													
2540-00-860-2359	BAR: cranking, outrigger 1 in dia, 12 in lg 10900233 (19207) BG, BH	2													
3940-00-347-9703	BAR: hoisting, whiffletree 8690061 (19207) BG, BM	2													
4910-00-735-6056	BAR: tow, motor vehicle, V-type (light duty) 7356056 (19207) BG, BM	1													
3940-00-630-9931	BLOCK, SNATCH: wire rope, S-shell, sgl-8 in sheave, w/swivel hook, 5/8 in dia rope, 10-	1													
	ton working load 8337020 (19207) AB														
3940-00-899-1352	BLOCK: tackle, gear, winch S-shell wire rope, sgl 10 in sheave w/shackle end 3/4	2													
	in dia rope, 15-ton cap 8333238 (19207) BG, BM														
3940-00-926-3719	BLOCK: tackle, manila rope, dbl 4 3/4 in sheaves, 1 in dia rope, 3 in circum, w/loose	1													
	side hook w/o becket, 2540 lb cap GGGB490 (81348) BG, BM														
3940-00-792-9881	BLOCK: tackle, wire rope, dbl 7 3/4 in dia sheaves w/swivel shackle, 5/8 in dia rope,	2													
	25-ton cap 8379923 BG, BM														
2540-00-315-2306	CHOCK, FIELD: spade and leg 8330150 (19207) A	2													

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 1
NO. OF PAGES 2

DA FORM 1 JAN 86 2062 Current as of 30 November 1977.

TM9-2320-211-10-HR

STOCK NO.	ITEM DESCRIPTION (BII)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
CAUTION: Any wheeled vehicle used for transporting flammables, class A or class 3 explosives, or other hazardous materials															
will be equipped with a UL rated 10-B:C Dry Chemical Fire Extinguisher (4120-00-775-0127).															
4210-00-775-0127	EXTINGUISHER: 5 lb purple K dry chemical, w/bracket 7015266 (19207) BJ, BK	2													
2590-00-040-2297	SLING: wire rope, dbl leg, w/ring and 2 hooks 8330151 (19207) BG, BH, BM	1													
5935-00-351-3739	BAG, TOOL: canvas, 10x20 in w/flap MIL-B-43648-4 (81349) A	1													
4910-00-204-2547	GAGE: tire inflation GGG91TY3 CLBSTY2 (81348) A	1													
4720-00-092-9265	HOSE: tire inflation, 30 ft lg 7540832 (81348) A	1													
5120-00-243-2419	BAR, SOCKET WRENCH HANDLE: 3/4 in dia, 30 in lg (used w/wh stud nut wrench) 41-W-1541-10 (80244) A	1													
5120-00-061-0728	JACK, HYDRAULIC, HAND: self-contained, 8-ton, 11 in closed (max), 23-1/8 in open (min), w/operating lever MS16283-9 (96906) BA, BB, BC, BD, BE, CA, CB, CC, CD, CE	1													
5120-00-224-7330	JACK, HYDRAULIC: self-contained, 12-ton 11 1/4 in closed, 16 1/4 in extended, pump w/screw extension GGGJ63 (96906) CD	1													
5120-00-316-9217	WRENCH, WHEEL STUD NUT: dbl-hd socket, 1 1/2 in hex opng, 1 3/16 in sq opng, 18 3/8 in lg MILW43105 (81349) BA, BB, BC, BD, BE, BG, BH, CA, CB, CC, CD	1													
5120-00-708-3302	WRENCH, PLUG: stght bar, sq 1/2 in plug 2 1/2 in lg 7083302 (19207) A	1													

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

HAND RECEIPT/ANNEX NO.

For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO: Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO. TM9-2320-211-10 | CURR OF ALW | ITEM TRUCK, 5-Ton M39 Series

STOCK NO.	Additional Authorization List (AAL) ITEM DESCRIPTION part no, FSCM, & Usable on code	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
2540-00-040-2298	BAR: tie boom jack 8330152 (19207) BG, BM	1													
5340-00-625-6290	BAR: tie boom jack, w/yoke ends 8333074 (19207) BH	1													
2540-00-040-2299	BASE: boom jack (grd-support) 8330155 (19207) BG, BM	2													
3830-00-625-6284	BASE: rear ground outrigger and boom jack 8333068 (19207) BH	2													
3830-00-625-6282	BRACE: stabilizer, lower (male) 8331882 (19207) BG, BH	2													
3830-00-625-6283	BRACE: stabilizer upper (female) 8331883 (19207) BG, BH	2													
4010-00-047-3902	CHAIN: utility, sgl-leg, 3/8 in link 14-1/2 ft lg w/2-grab hook 7077062														
5315-00-398-0985	CLIP: pin, boom jack 8330154 (19207) BG, BH	1													
2520-00-692-6136	CLIP: pin, boom jack, lower shipper brace, and pin 8332593 (19207) BG, BH	6													
3040-00-740-9782	COLLAR: boom stabilizer tube, cross pin 7409782 (19207) BG, BH	1													
5340-00-321-6406	FASTENER: clip pin 8330327 (19207) BG, BH	1													
5340-00-321-6407	FASTENER: clip pin 8330328 (19207) BG, BH	2													
5340-00-321-6405	FASTENER: clip pin 8330246 (19207) BG, BH	8													
3830-00-625-6281	PIN: adjusting, tube, boom stabilizers 8331881 (19207) BG, BH	2													
5315-00-316-1012	PIN: boom jack, lower shipper brace 8332455 (19207) BG, BH	4													

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.

'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

DA FORM 1 JAN 58 2062 Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5315-00-316-1014	PIN: boom jack, upper 8333071 (19207) BG, BM	1													
5315-00-740-9834	PIN: boom jack, w/lock pin 7409834 (19207) BG, BH, BM	2													
5315-00-316-1008	PIN: boom jack, w/lock pin BG, BH, BM	2													
5315-00-854-4431	PIN: inner boom jack, w/lock pins 10876413 (19207) BM	1													
5315-00-281-7744	PIN, LOCK: adjusting tube 7409515 (19207) BG, BH	4													
5315-00-281-7745	PIN, LOCK: boom jack tie bar 8330153 (19207) BG, BH	2													
4710-00-077-1957	PIPE: end shaft tube 8333069 (19207) BH	2													
2540-00-318-0326	SHACKLE: anchor, rd-pin, 7/8 in dia 7357967 (19207) BG, BM	2													
2540-00-860-2359	SHAFT: cranking outrigger, 1/2 in dia, 12 in lg 10900233 (19207) BM	2													
3830-00-625-6286	TUBE: boom extension shaft assy 8333070 (19207) BH	1													
3830-00-625-6288	TUBE: boom jack (bottom) 8333073 (19207) BH	2													
2540-00-040-2301	TUBE: boom jack (bottom) 8330158 (19207) BH	2													
2540-00-040-2300	TUBE: boom jack (top) 8330157 (19207) BG,BM	2													
2590-00-443-0065	TUBE: boom jack top, assy 8333072 (19207) BH	2													
SPECIAL TOOLS AND EQUIPMENT FOR EXPANSIBLE VAN TRUCK															
6140-00-851-4573	CABLE: ground, 48 in lg (use w/ROD 8380403) 7017575 (19207) BJ, BK	1													
2590-00-870-9935	CABLE, ELECTRIC: auxiliary, 220-v, 39-1/4 in lg, 7059246, BJ BK	1													
	CABLE, ELECTRIC: jumper, 220-v, 100 ft lg w/couplings 7045796 (19207) BJ, BK	1													
2540-00-870-9939	COVER: cable reel (cotton duck) 8735021 (19207) BJ, BK	1													

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
6230-00-870-9994	FLARE: emergency, 7017628 (19207) BJ, BK	3													
2590-00-790-2293	HANDLE: leveling jack BJ, BK	4													
5120-00-566-0617	JACK: leveling, vehicle (portable) 7543672 (19207) BJ, BK	4													
2590-00-790-2293	JACK: plate, foot leveling, 7534675 (19207) BJ, BK	4													
2590-00-870-9937	LADDER: vehicle boarding, 4 ft lg 7534656 (19207) BJ, BK	2													
5340-00-682-1505	PADLOCK: keyed indiv (MIL-P-17802) BJ, BK	8													
2510-00-790-2296	ROD: ground, 3/4 in dia x 30 in lg 8380403 w/crossbar, used w/cable 7017575 (19207)	8													
	BJ, BK														
2590-00-870-9936	SPIKE: welded 7534089 (19207) BJ, BK	8													
5120-00-650-7830	WRENCH: ratchet, reversible, w/removable socket, 3/4 in sq dr, female opng, 1 in hex	1													
	female opng, 7759181 (19207) BJ, BK														
5120-00-650-7829	WRENCH: socket, 90° offset, 1/2 in sq opng 8380406 BJ, BK	1													
5120-00-708-3302	WRENCH: plug 7083302 (80244) BJ, BK	1													
MISCELLANEOUS TOOLS AND EQUIPMENT															
9905-00-148-9546	REFLECTOR TRIANGLE WARNING KIT: reflector type, w/plastic box RRW-1817 (19207) BG, BM	1													
2590-00-772-8814	HARNESS: wiring intervehicular, ssy 7728814 (19207) BB, BH	1													
4720-00-740-9662	HOSE: air connection, assy (126 in) 74009662 (19207) BB, BH	2													
5120-00-188-1790	JACK: hydraulic, hand, self-contained, 30-ton cap, w/operating lever GGG-J-63 (81348)	1													
	BG, BM														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE No. 3
NO. OF PAGES 10

Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (AAL)	T¹ (a)	C² (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
6230-00-498-9408	LANTERN: electric, hand, 7-volt, w/lamp (2) 6Z691-Y-290 BG, BM	1													
4930-00-266-9182	OILER: hand, push-button type, 1/2 pt cap MS15764-1 (96906) BG, BM	1													
5340-00-682-1504	PADLOCK SET: keyed alike, 1 3/4 in w/clevis & chain, composed of (5) padlocks & (7)	1													
	keys MS21313-54 (96906) BM														
5120-00-197-9473	PUNCH: blacksmith's, round hdle, 1/4 in dia cutting edge GGG-T-563 (81348) BG, BM	1													
4933-00-754-0704	SAW: crosscut, 1-man, 4 1/2 ft blade, 5 ft lg, w/supplementary hdl SC4933-95 (19204)	1													
	BG, BM														
5120-00-243-9072	VISE: bench and pipe, sww-base, 5 in jaw width, 6 in opng, 1/8 to 1/4 pipe cap	1													
	GGG-V-410 (81348) BG, BM														
5120-00-264-3793	WRENCH: auto, adj, 0 to 3 in jaw opng, 15 in lg GGG-W-631 (81348) BG, BM	1													
5120-00-277-1461	WRENCH: pipe, hvy-duty, adj 1 to 2 in pipe cap 18 in lg GGG-W-651 (81348) BG, BM	1													
5120-00-277-1244	WRENCH: open end, fixed sgl-hd, 15 deg hd-angle, 1-5/8 in opng, 14-7/8 in lg GGG-W-	1													
	636 (81348) BH, BG, BM														
TOOLS AND EQUIPMENT FOR WELDING AND CUTTING															
6830-00-264-6751	ACETYLENE, TECHNICAL: gas filled, acetylene, comp w/valve (to be refilled locally) DGA-	1													
	106 (81348) BG, BM														
4720-00-356-8572	HOSE ASSEMBLY, RUBBER: braided green, w/rh thd female connections on both ends, attached	1													
	by crimped on ferrules, 9/16-18 NF-3 thd, 5/16 in id, 25 ft lg ZZ-H-461 (80244) BG, BM														

¹T - Total allowance for Hand Receipt. (a) Authorized per item for Hand Receipt Annexes.
²C - Current operating allowance for Hand Receipt. (t) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
4720-00-356-8571	HOSE ASSEMBLY, RUBBER: braided w/1h thd female connections each end attached by br	1													
	ferrules, 9/16-18 NF-3 thd, 5/16 in id, 25 ft lg ZZ-H-461 (80244) BG, BM														
6830-00-292-0129	OXYGEN, TECHNICAL: gas filled, oxygen, 220 cu ft, comp w/valve DGO-925 BG BM														
4820-00-285-6067	REGULATOR: pressure, compressed gas, acetylene, 2-stage, w/coupling, adapter &	1													
	outlet VTS410-968 BG, BM														
4820-00-641-3519	REGULATOR: pressure, compressed gas, oxygen, 2-stage, w/coupling, adapter & outlet	1													
	MIL-R-13877 BG, BM														
5306-00-151-0861	TOOL KIT: welder's components of: BG, BM	1													
5120-00-965-0603	1 BOX FLINT TIP, FRICTION IGNITER: w/holder, sleeve type, threaded, 5-40NC,	1													
	6 per box, GGG-1271 (81348)														
7920-00-291-5815	1 BRUSH, WIRE: scratch, S-wire, curved hdl, wire lg 1-1/8 to 1-1/4 in, 4-rows w,	1													
	18 rows lg, 14 in lg, WB-178 (81348)														
5110-00-186-7107	1 CHISEL, HAND, COLD: 1/2 in cut, 5-3/4 in lg (min) GGG-C-00313 (96906)	1													
5110-00-236-3272	1 CHISEL, HAND, COLD: 3/4 in cut, 6-1/2 in lg, 3/4 in lg (min) GGG-C-00313 (96906)	1													
3437-00-270-6047	1 CLEANER SET, WELDING AND CUTTING TIPS: sgl-end, 75 to 49 drill sizes, 12 (in	1													
	metal case) MIL-C-17223 (81349)														
5110-00-234-6539	1 FILE, HAND: American patt, flat type, dbl-cut bastard faces, sgl-cut bastard	1													
	edges, 12 in lg GGG-F-00325 (81348)														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 5
NO. OF PAGES 10

Current as of 30 November 1977.

☆U.S.GPO:1976-0-665-697/1042

STOCK NO.	ITEM DESCRIPTION (AAL)	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5110-00-242-5386	1 FILE, HAND: American patt, mill type, dbl-cut bastard faces, sgl-cut bastard	1													
	edges, 12 in lg, GGG-F-00325 (81348)														
5110-00-234-6557	1 FILE, HAND: American patt, rd-type, 1/2 in dia large sect, dbl-cut bastard face,	1													
	12 in lg, GGG-F-325 (81348)														
8415-00-263-7859	1 GLOVES: welder's leather, gauntlet, large KKG-486 (81348)	1													
4240-00-203-3804	1 GOGGLES: (welder's) w/eyecups, plastic w/glass filter lens, w/glass cover lens,	1													
	headband over spectacle type, w/o case GGGG-513 (81548)														
5120-00-224-4047	1 HAMMER, HAND: machinist's ball-peen, 2-lb, 16 in lg GGG-H-86 (81348)	1													
5120-00-585-2383	1 HAMMER, HAND: welder's 14-oz stght-peen punch-point, sgl-bevel, w/coiled S-hdle,	1													
	10 in lg GGG-H-35 (81348)														
5110-00-263-0341	1 HANDLE, FILE, WOOD: 1-1/2 in dia, 5-1/2 in lg, large KKH-00106	1													
5120-00-965-0326	1 IGNITER, FRICTION: wire frame style, sgl-flint, round file, hooded type	1													
5120-00-223-7298	1 PLIERS, SLIP-JOINT: stght-nose, comb, w/cutter, 10 in lg MS5382-2 (16906)	1													
5120-00-293-0448	1 PUNCH, DRIFT: 3/16 in dia pt, 3/8 in dia pt, 3/8 in dia stk, 10 in lg GGG-P-831	1													
	(81348)														
5210-00-239-0439	1 RULE, MULTIPLE FOLDING: steel, 3-ft lg, 6-sect, smallest grad-1/16 GGG-R-00791	1													
	(81348)														
5905-00-222-8071	1 SCREWDRIVER, FLAT TIP: metal, w/wood insert-hdl, 7/16-in tip width, 10-in	1													
	blade, 16-1/2 in lg														

*T - Total allowance for Hand Receipt. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5120-00-596-1543	1 SCRIBER: machinist's dbl-pt, screwed, 1-stght & 1-reg bent, removable, 8 to 9 in lg GGG-S-131	1													
5210-00-221-2060	1 SQUARE: comb 12 in lg 1/64, 1/32, 1/16 and 1/8 in grad edges, sq and Miter head w/scriber & level, GGG-S-656 (81348)	1													
5140-00-498-8772	TOOL BOX: mechanic's general, w/tote tray, 21 in lg, 8-1/2 in w, 7-3/8 in deep, od finish GGG-T-558-2	1													
5120-00-224-3153	1 WRENCH, BOX: dbl-hd, 12-pt, short-lg, 3/8 and 7/16 in opng, 4 in lg GGG-W-636 (96906)	1													
5120-00-224-3154	1 WRENCH, BOX: dbl-offset, dbl-hd, 12-pt short-lg, 1/2 and 9/16 in opng, 4 3/4 in lg GGG-W-636 (96906)	1													
5120-00-224-3137	1 WRENCH, BOX: dbl-offset, dbl-hd, 12-pt, short lg, 5/8 and 3/4 in opng, 6 in lg GGG-W-636 (96906)	1													
5120-00-240-5328	1 WRENCH, OPEN END: adj, sgl-hd type, 0.947 in jaw opng, 12 in lg GGG-W-631 (81348)	1													
5120-00-264-3796	1 WRENCH, OPEN END: adj, sgle-hd type, 0 to 1.322 in jaw opng, 12 in lg GGG-W-631 (81348)	1													
5120-00-277-2342	1 WRENCH, OPEN END: fixed, dbl-hd, 15 deg-hd-angle, 3/8 & 7/16 in opng, 4 1/8 in lg, GGG-W-636 (81348)	1													

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (AAL)	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5120-00-187-7124	1 WRENCH, OPEN END: fixed, dbl-hd, 15 deg-hd-angle, 1/2 & 9/16 in opng, 5 1/2 in lg GGG-W-636 (81348)	1													
5120-00-277-8301	1 WRENCH, OPEN END: fixed, dbl-hd angle, 5/8 & 11/16 in opng, 7 in lg GGG-W-636 (81348)	1													
5120-00-494-1911	1 WRENCH, PLIER: curved jaw style, w/wire cutter, 8 1/2 in lg GGG-P-00471	1													
3433-00-294-6743	TORCH SET: cutting & welding, oxygen-acetylene, med duty, w/cutting attachments, tips & wrench W68117 Composed of:	1													
	1 CUTTING ATTACHMENT: welding torch, angle of hd-90 deg, w/universal mixer (18075-6652391)	1													
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-68/73 (18075-1C)	1													
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-64/68 (18075-2C)	1													
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-60/64 (18075-3C)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-65/70 (18075-2E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-60/65 (18075-3E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-52-58 (DOC-5E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-45/50 (18075-7E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-40/45 (18075-8E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-35/40 (18075-10E)	1													
	1 TORCH HANDLE, WELDING: w/universal mixer (18075-6650841)	1													

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T¹ (a)	C² (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	1 TORCH WRENCH, WELDING: 6-way, opng- 1/2 - 3/4 - 7/8 - 7/16 - 11/16 & 1-1/8	1													
	in (18075-970)														
3433-00-294-6743	TORCH SET: Cutting & welding oxyacetylene, med duty, w/tools cutting attachments &	1													
	tips BG, BH Composed of:														
3433-00-391-1215	1 CUTTING ATTACHMENT, WELDING TORCH: angle of hd-75 deg, use w/TORCH HANDLE	1													
	3433-391-1217, no 42527-58-1-75														
3433-00-391-1216	1 MIXING HEAD, OXYGEN ACETYLENE WELDING TORCH: for tip size 72 to 31 no.	1													
	42527-54-5														
3433-00-373-1726	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 46, no 42527-250-46	1													
3433-00-373-1727	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 51, no 42527-250-51	1													
3433-00-373-1730	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 56, no 42527-250-56	1													
3433-00-373-1731	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 42, no 42527-GXU-42	1													
3433-00-373-1733	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 50, no 42527-870-50	1													
3433-00-373-1734	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 53, no 42527-GXU-50	1													
3433-00-373-1737	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 58, no 42527-GXU-58	1													
3433-00-373-1739	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 62, no 42527-GXU-62	1													
3433-00-391-1217	1 TORCH HANDLE, WELDING: no 42527-54	1													
3433-00-391-1218	1 TORCH WRENCH, OVYGEN ACETYLENE: no 42527-7810	1													

¹T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
²C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (AAL)	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5120-00-277-2694	1 WRENCH, OPEN END, FIXED: 15 deg angle, dble-hd type, spear-hd, alloy-S,	1													
	1 1/8 in & 1 1/4 in opngs, 1/2 in thk, 12 in lg over-all GGG-W-636 (81348)														
3433-00-294-6543	TORCH SET: CUTTING AND WELDING, oxyacetylene, med duty, w/tools, cutting	1													
	attachments & tips Composed of:														
3433-00-391-1219	1 CUTTING ATTACHMENT, WELDING angle of hd-75 deg no 63026-C-1450-100, use w/	1													
	TORCH HANDLE 3433-391-1220														
3433-00-373-1729	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 54, no 63026-3-100-1	1													
3433-00-373-1728	2 TIP, OXYGEN ACETYLENE, CUTTING: drill size 52, no 63036-3-101-2	1													
3433-00-373-1725	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 45 no 63036-3-101-4	1													
3433-00-373-1740	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 65 no 63026-13-0	1													
3433-00-373-1738	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 60 no 63026-13-1	1													
3433-00-373-1736	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 56 no 63026-13-2	1													
3433-00-373-1735	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 53 no 63026-13-3	1													
3433-00-373-1732	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 43 no 63026-13-5	1													
3433-00-391-1220	1 TORCH HANDLE WELDING: no 63026-100	1													
5120-00-540-5734	1 TORCH WRENCH, WELDING: 4-way, no no 63026-RT-20	1													
5120-00-316-9204	WRENCH: acetylene tank valve key, 9/32 in sq-opng (110473) BG, BH	1													
NOTE: Only one torch set is authorized for wrecker. Three torch sets are listed so that parts can be requisitioned for															
set furnished with wrecker.															

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

☆U.S. GPO:1976-0-665-697/

By Order of the Secretary of the Army:

BERNARD W. ROGERS
General, United States Army
Chief of Staff

Official:

J. C. PENNINGTON
Brigadier General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-38, operator maintenance requirements for 5-ton truck chassis: 5-ton, 6x6, M39; M39A2, M40, A1 and A1C, M40A2C, 40C; M61, A1 and A2; M63, A1, A1C, A1D, A2, A2C and A2D, M63C, M139, A1, A1F, A2 and A2F; M139C; M139D; M139F cargo; M41 and A2, M54 and A1, A1C, A2 and A2C, M44, A1 and A2 bolster; logging, M748A1 and A2,wrecker: medium, M62; M543, A1 and A2 dump: M51, A1 and A2, tractor: wrecker M246, A1 and A2 tractor: M52, A1 and A2 van: expansible, M291A1 and A1C, A1D, M281A2, A2C and A2D stake; bridge transport, M328A1 and A2.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1979-650-002/1018

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

Your Mailing Address

DATE Date You Fill Out This Form

PUBLICATION NUMBER	DATE	TITLE
TM X-XXXX-XXX-10-HR	Date of TM	Hand Receipt Manual for (Item)

BE EXACT...PIN-POINT WHERE IT IS

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.
5 HR for BII 1 of 2	line 4		
7 HR for AAL 1 of 1	line 6		

IN THIS SPACE TELL WHAT IS WRONG

Qty for Hose, NSN 3920-00-637-2953, should be "2," not "1."

Usable-on code for Rope, P/N 372631, should not be 307; the M50 does not have this rope.

SAMPLE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER	SIGN HERE:
Chris Q. Doe, Pfc., AV XXX-XXXX	Pfc. Chris Q. Doe

CUT ALONG DOTTED LINE

DA FORM 1 APR 78 2028-2

REPLACES DA FORM 2028-2 (TEST), 1 AUG 74, WHICH WILL BE USED UNTIL EXHAUSTED.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD 314

U.S. MAIL

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE	
TM 9-2320-211-10-HR	31 Jan 1979	TRUCK, 5-TON, 6x6, M39 SERIES

BE EXACT. . .PIN-POINT WHERE IT IS

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

CUT ALONG DOTTED LINE

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD 314

U.S. MAIL

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE	
TM 9-2320-211-10-HR	31 Jan 1979	TRUCK, 5-TON, 6x6, M39 SERIES

BE EXACT...PIN-POINT WHERE IT IS

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

CUT ALONG DOTTED LINE

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD 314

U.S. MAIL

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE	
TM 9-2320-211-10-HR	31 Jan 1979	TRUCK, 5-TON, 6x6, M39 SERIES

BE EXACT. . .PIN-POINT WHERE IT IS

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

CUT ALONG DOTTED LINE

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD 314

U.S. MAIL

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

This fine document...

Was brought to you by me:



Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=http://www.liberatedmanuals.com/>Free Military and Government Manuals</A>

- Sincerely
  Igor Chudov
  http://igor.chudov.com/
- Chicago Machinery Movers