TM 9-2320-260-10-HR

HAND RECEIPT MANUAL

COVERING THE END ITEM/COMPONENTS OF END ITEM (COEI),

BASIC ISSUE ITEMS (BII), AND

ADDITIONAL AUTHORIZATION LIST (ML) RELATED TO

TRUCK, 5-TON, 6x6, M809 SERIES (DIESEL):
CHASSIS, M809, M809A1, M810
M811, M811A1, M811A2;
CHASSIS, ROCKET LAUNCHER M812A1;
CARGO, M813;
DROPSIDE, M813A1, M814;
BOLSTER, LOGGING, M815;
WRECKER, M816;
DUMP, M817;
TRACTOR, M818;
TRACTOR, WRECKER, M819;
VAN, EXPANSIBLE, M820, M820A1, M820A2;
STAKE, BRIDGE TRANSPORTING, M821

HEADQUARTERS, DEPARTMENT OF THE ARMY

JANUARY 1979

HAND RECEIPT

TM 9-2320-260-10-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, *31 January 1979*

HAND RECEIPT MANUAL
COVERING END ITEM/COMPONENTS OF END ITEM (COEI), BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL) FOR

TRUCK, 5-TON, 6X6, M809 SERIES (DIESEL):

MODEL		NSN WITHOUT WINCH	NSN WITH WINCH
CHASSIS	M809	(2320-00-050-8842)	(2320-00-050-8841)
CHASSIS	M809A1		(2320-00-050-8941)
CHASSIS	M810	(2320-00-051-0586)	(2320-00-051-0585)
CHASSIS	M811	(2320-00-050-8986)	(2320-00-050-8985)
CHASSIS	M811A1		(2320-00-050-8989)
CHASSIS	M811A2	(2320-00-050-9005)	
CHASSIS	M812		(2320-00-050-9011)
CHASSIS, ROCKET LAUNCHER	M812A1		(2320-00-050-9040)
CARGO	M813	(2320-00-050-8902)	(2320-00-050-8890)
	M813A1	(2320-00-050-8913)	(2320-00-050-8905)
	M814		(2320-00-050-8987)
BOLSTER, LOGGING	M815		(2320-00-050-8927)
WRECKER	M816		(2320-00-051-0489)
DUMP	M817	(2320-00-050-8970)	(2320-00-051-0589)
TRACTOR	M818	(2320-00-050-8984)	(2320-00-050-8978)
TRACTOR, WRECKER	M819		(2320-00-050-9004)
VAN, EXPANSIBLE	M820	(2320-00-050-9006)	
	M820A1	(2320-00-050-9007)	
	M820A2	(2320-00-050-9010)	
STAKE, BRIDGE TRANSPORTING	M821	(2320-00-050-9015)	

REPORTING OF ERRORS

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to publications and Blank Forms) or DA Form 2028-2 (Recommended Changes to Equipment Technical Manuals) located in the back of the manual and mail the form direct to Commander, US Army Tank-Automotive Materiel Readiness Command ATTN: DRSTA-MBA Warren, MI 48090. A reply will be furnished direct to you

Page

SECTION I. INTRODUCTION 1
II. HAND RECEIPT 3

SECTION I
INTRODUCTION

1. Scope

This hand receipt manual provides a listing on preprinted DA Form 2062 (Hand Receipt) of accountable end items/COEI, BII, and AAL items related to the 5-ton M809 series diesel trucks listed on the cover of this manual.

2. General

Section II of this manual is an overprinted DA Form 2062 consisting of a listing of the End Item/Components of End Items (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items extracted from TM 9-2320-260-10. The listings consist of exactly the same items and are in the same sequence as the End Item/COEI, BII and AAL listings in the operator's manual. The overprinted DA Form 2062 will aid the property accountability officers in preparation of hand receipts referred by AR 710-2. Local reproduction of the overprinted DA Form 2062 is authorized, Units should insure that local policies are adhered to in respect to the reproduction of the DA Form 2062 by local office copying equipment; field printing plant; and duplicating plant facilities. Extra copies of the HR manual are available through:

Commander
US Army AG Publications Center
ATTN: AGDL-OD
1655 Woodson Road
St. Louis, MO 63114

3. Explanation of Blocks and Columns

(Refer to ch. 2, AR 710-2.)

"Usable on" codes, listed in the "Description" column, identify which items are used on different models. Codes used in this hand receipt are:

Code	*Used On*
A	All
BA	M809 w/winch
BB	M809 wo/winch
BC	M813 w/winch
BD	M813 wo/winch
BE	M813A1 w/winch
BF	M813A1 wo/winch
BG	M815 w/winch
BH	M809A1 w/winch
BI	M816 w/winch
BJ	M810 w/winch
BK	M810 wo/winch
BL	M817 w/winch
BM	M817 wo/winch
BN	M818 w/winch
BO	M818 wo/winch
BP	M811 w/winch
BQ	M811 wo/winch
BR	M814 w/winch
BS	M814 wo/winch
BT	M811A1 w/winch
BU	M819 w/winch
BV	M811A1 wo/winch
BW	M820 wo/winch
BX	M820A1 wo/winch
BY	M820A2 wo/winch
BZ	M812 w/winch
CA	M821 w/winch
CB	M821A1 w/winch

HAND RECEIPT/ANNEX NO.
For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO:
Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO	CURR OF ALW	ITEM
TM 9-2320-260-10		Truck, 5-Ton, (Diesel)

STOCK NO	END ITEM/COMPONENTS OF END ITEM (COEI) ITEM DESCRIPTION	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	TRUCK														
2320-00-050-8842	CHASSIS, M809 w/out Winch														
2320-00-050-8841	M809 w/Winch														
2320-00-050-8941	M809A1 w/Winch														
2320-00-051-0586	M810 w/out Winch														
2320-00-051-0585	M810 w/Winch														
2320-00-050-8986	M811 w/out Winch														
2320-00-050-8985	M811 w/Winch														
2320-00-050-8989	M811A1 w/Winch														
2320-00-050-9005	M811A2 w/out Winch														
2320-00-050-9011	M812 w/Winch														
2320-00-050-9040	CHASSIS, ROCKET LAUNCHER, M812A1 w/Winch														
2320-00-050-8902	CARGO M813 w/out Winch														
2320-00-050-8890	M813 w/Winch														
2320-00-050-8913	M813A1 w/out Winch														

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 1
NO. OF PAGES 2

DA FORM 1 JAN 86 2062 Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (COEI)	T (a)	C (l)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
2320-00-050-8905	M813A1 w/Winch														
2320-00-050-8987	M814 w/Winch														
2320-00-050-8927	BOLSTER, LOGGING, M815 w/Winch														
2320-00-051-0489	WRECKER, M816 w/Winch														
2320-00-050-8970	PUMP, M817 w/out Winch														
2320-00-051-0589	M817 w/Winch														
2320-00-050-8984	TRACTOR, M818 w/out Winch														
2320-00-050-8978	M818 w/Winch														
2320-00-050-9004	TRACTOR, WRECKER, M819 w/Winch														
2320-00-050-9006	VAN, EXPANSIBLE, M820 w/out Winch														
2320-00-050-9007	M820A1 w/out Winch														
2320-00-050-9010	M820A2 w/out Winch														
2320-00-050-9015	STAKE, BRIDGE TRANSPORTING M821 w/out Winch														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (l) Total authorized for Hand Receipt Annexes.

HAND RECEIPT/ANNEX NO.
For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO: Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO TM9-2320-260-10 | CURR OF ALW | ITEM TRUCK, 5-Ton (Diesel)

STOCK NO	BASIC ISSUE ITEMS LIST (BII) ITEM DESCRIPTION part no, FSCM & usable-on code	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5340-00-040-2102	BAR: Cranking, outrigger 1 in dia 24 in lg 8328453 (19207) BU	2													
2540-00-860-2359	BAR: Cranking, outrigger 1 in dia 10900233 (19207) BI	2													
4910-00-347-9703	BAR: Hoisting, whiffletree 8690061 (19207) BI	2													
4910-00-735-6056	BAR: Tow, motor vehicle, V-type (light duty) 8-B-52770 BI	1													
3940-00-630-9932	BLOCK: Tackle, gear, winch S-shell wire rope, sgl 10 in sheave; w/shackle	2													
	end 3/4 in dia rope, 15 ton cap 8383238 (19207) BI														
3940-00-223-3821	BLOCK: Tackle, manila rope dbl 4 3/4 in sheaves, 1 in dia rope 3 in circum	1													
	w/loose side hook w/o bracket, 2540 lb cap 19-B-8320-105 (80224) BI														
3940-00-792-9881	BLOCK: Tackle, wire rope, dbl 7 3/4 in dia sheaves w/swivel shackle 5/8	2													
	in dia rope 25 ton cap 8379923 (19207) BI														
2510-00-790-2296	CABLE: Ground, 48 in. lg, used w/rod 8380403 (19207) BW, BX, BY	1													
2590-00-870-9935	CABLE; ELECTRIC: Auxiliary, 220 volt, 39 1/4 in lg 11601641 BW, BX, BY	1													
2590-00-670-1423	CABLE, ELECTRIC: Jumper, 220 volt, 103 ft lg w/couplings 11601643 (19207)	1													
	BW, BX, BY														
4910-00-475-6166	CHAIN, UTILITY: slg, 5/8 in link 16 ft w/grabhook, w/2 cplg links OD finishBI	1													

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 1
NO. OF PAGES 3

DA FORM 1 JAN 80 2062 Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (BII)	T* (a)	C* (l)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	Any wheeled vehicle used for transporting flammables, class A or class B explosives, or other hazardous materials will be equipped with a UL rated 10-B:C Dry Chemical Fire Extinguisher (4120-00-775-0127).														
4120-00-775-0127	EXTINGUISHER: 5 lb purple K, dry chemical, w/bracket 7015266 (19207) BI, BU, or as stated above	1													
2590-00-870-9940	HANDLE: Leveling jack 7534675 (19207) BW, BX, BY	4													
5120-00-566-0617	JACK: screw hand 7534672 (19207)														
2590-00-772-8814	HARNESS: Wiring, intervehicular assy 7728814 (19207) BU	1													
4720-00-740-9662	HOSE: Air connection, 126 in lg 7409662 (19207) BU	1													
2590-00-870-9937	JACK: Plate, foot leveling 7534675 (19207) BW, BX, BY	4													
2590-00-870-9940	JACK: Leveling, vehicle, portable 7534672 (19207) BW, BX, BY	4													
2540-00-957-5068	LADDER: Vehicle, boarding, 4 ft lg 8759434 (19207) BW, BX, BY	2													
5340-00-602-1502	PADLOCK SET: Keyed alike, 1 3/4 in, w/ clevis & chain; 5 padlocks 7 keys MS2131-54 (96906) BI	1													
3830-00-625-6285	PIPE: End shaft tube (19207) BU	2													
2510-00-790-2296	ROD: Ground, 3/4 in dia, 30 in lg, w/ crossbar 8330403 (19207) BW, BX, BY	2													
2540-00-318-0326	SHACKLE: Anchor, rd-pin, 7/8 in dia 7357967 (19207) BI	2													
2590-00-870-9936	SPIKE: Welded 7534689 (19207) BW, BX, BY	8													
2520-00-040-2297	SLING: Wire rope, dbl leg w/ring & 2 hooks 8330151 (19207) BU, BI	1													
3830-00-625-6286	TUBE: Boom extension shaft assy 8333070 (19207) BW, BX, BY	1													

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (l) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK NO	ITEM DESCRIPTION (BII)	T (a)	C (l)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5120-00-650-7830	WRENCH: Ratchet, reversible, w/removable socket, 3/4 in sq drive, female														
	opening, 1 in hex female opening 7759181 (19207)														
3840-00-105-9933	BLOCK: Rigging, steel, wire rope, S 8 in sheave, w/swivel hook, 5/8 in dia	1													
	rope, 10 ton cap, OD finish 1631726 (19207) BA, BC, BE, BH, BJ, BL, BN,														
	BP, BR, BT, BZ, CA, CB														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (l) Total authorized for Hand Receipt Annexes.

PAGE No. 3
NO. OF PAGES 3

Current as of 30 November 1977.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO.
NO. OF PAGES

HAND RECEIPT/ANNEX NO.
For use of this form, see AR 710-2; the proponent agency is the office of the Deputy Chief of Staff for Logistics.

FROM:

TO:
Hand Receipt File No.

Following last item, state in each balance column the type of action *(e.g. issue, turn-in, inventory, etc.)* producing this balance, date of action, and signature.

Fill in the following when this form is used as Hand Receipt Annex.

CATALOG NO TM9-2320-260-10 | CURR OF ALW | ITEM TRUCK, 5-Ton (Diesel)

STOCK NO	ITEM DESCRIPTION ADDITIONAL AUTHORIZATION LIST (AAL) part no, FSCM, & usable on code	T* (a)	C* (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
9905-00-148-9546	REFLECTOR, TRIANGLE WARNING, KIT: Reflector type, w/flags, w/metal box	1													
	10899404 (19207) BU, BI														
4910-00-204-2457	GAGE, INFLATOR: Tire inflation, (Used w/hose, Assy) All models except BU	1													
3439-00-151-0661	TOOL KIT: Welders composed of the following, which may be requistioned	1													
	separately: BI														
5120-00-254-9956	1 BOX-FLINT TIP, FRICTION IGNITER: w/holder, sleeve type, threaded, 5-40NC	1													
	6-per box GG-1-271 (81348)														
7920-00-291-5815	1 BRUSH, WIRE: scratch, S-wire, curved hdl, wire lg outside block,	1													
	1 1/8 to 1 1/4 in, 4-rows wd, 18-rows lg, 14 in lg H-B-178 (81348)														
5110-00-186-7107	1 CHISEL, HAND, COLD: 1/2 in cut, 5 3/4 in lg (min) MS17070-3 (96906)	1													
5160-00-236-3272	1 CHISEL, HAND, COLD: 3/4 in cut, 6 1/2 in lg (min) MS17070-5 (96906)	1													
3438-00-270-6047	1 CLEANER SET, WELDING AND CUT-TIPS: sql end, 75 to 49 drill sizes, 12 (in	1													
	metal case)														
3433-00-391-1219	1 CUTTING ATTACHMENT, WELDING TORCH: angle of hd 75 deg, use w/TORCH HANDLE	1													
	3433-391-1217 no. 42527-58Ca														

*T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
*C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 1
NO. OF PAGES 6

DA FORM 1 JAN 80 2062 Current as of 30 November 1977.

STOCK NO.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
3433-00-391-1216	1 MIXING HEAD: OXYGEN ACETYLENE WELDING TORCH: for tip size 72 to 31														
	42527-54-1	1													
3433-00-373-1726	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 46, no. 42527-250-46	1													
3433-00-373-1727	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 51, no. 42527-250-51	1													
3433-00-373-1730	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size 56, no. 42527-250-56	1													
3433-00-373-1731	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 42, no. 42527-870-42	1													
3433-00-373-1733	1 TIP, OXYGEN ACETYLENE, WELDING: drill size 50, no. 42427-870-50	1													
3433-00-373-1734	1 TIP OXYGEN ACETYLENE, WELDING: drill size 53, no. 42527-870-53	1													
3433-00-373-1737	1 TIP, OXYGEN, ACETYLENE, WELDING: drill size 58, no. 42527-870-58	1													
3433-00-373-1739	1 TIP, OXYGEN, ACETYLENE, WELDING: drill size 62, no. 42527-870-62	1													
3433-00-391-1216	1 TORCH HANDLE, WELDING: no. 42527-54	1													
3433-00-391-1218	1 TORCH WRENCH, OXYGEN ACETYLENE: no. 42527-7810	1													
5120-00-277-2694	1 WRENCH, OPEN END, FIXED: 15 deg angle, dbl-hd type, spearhd, alloy-S,														
	1 1/8 in and 1 1/4 in opngs, 1/2 in thk, 12 in lg overall	1													
4720-00-092-9264	HOSE, ASSY: Tire inflation (Used w/ Gage, Inflator 4910-00-204-2457) All	1													
	Models except BU														
5120-00-708-3302	WRENCH: Plug 7083302 (19207) BU, BI	1													
5120-00-650-7829	WRENCH: Socket, 90° offset, 1/2 in sq opening 833406 (19207) BU, BI	1													

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

Continuation Sheet for DA Form 2062

STOCK No.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
6830-00-264-6751	ACETYLENE, TECHNICAL: gas filled, acetylene comp w/valve (to be refilled	1													
	locally) 1-C 2175 (80244)														
4930-00-288-4511	ADAPTER GREASE GUN COUPLING: lubr, flex hose, sleeve type, hyd to hyd 12	1													
	in lg 41-E-485-12 (80244)														
4930-00-204-2550	ADAPTER: grease gun, rigid, thin-stem 6 in lg	1													
5110-00-293-2336	AXLE, SINGLE BIT 6150295	1													
2540-00-796-1712	BAG: pamphlet 7961712	1													
5140-00-772-4142	BAG: tool 2-3-170	1													
5110-00-243-0901	BLADE: hacksaw, hand 12 in lg MS16263-5 (96906)	1													
7240-00-222-3088	CAN: gasoline, military type, 5 gal 42-C-2124 (80244)	1													
7240-00-242-6153	CAN: water, military type, 5 gal 64-C-281 (80244)	1													
2540-00-860-2354	CASE: crosscut saw, cotton duck 63 3/4 in lg (closed) 10876420 (19207)	1													
2540-00-870-9939	COVER: cable reel, cotton duck 8735021	1													
8120-00-268-3360	CYLINDER, COMPRESSED GAS, ACETYLENE: 225 cu ft cap comp w/valve (to be	1													
	filled locally)														
8120-00-285-4763	CYLINDER, COMPRESSED GAS, OXYGEN 220-240 cu ft cap comp w/valve (to be	1													
	filled locally)														
5110-00-289-9657	FRAME: hacksaw, adg. pistol grip hdl, thumb nut tension style, 8-12 in	1													
	cap MS16516-1 (96906)														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE No. 3
NO. OF PAGES 6

Current as of 30 November 1977.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T (a)	C (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
3433-00-356-8572	HOSE ASSEMBLY, RUBBER: braided, green w/rh thd, female connections	1													
	each end, attached by ferrules, 9/16-18NF-3, 5/16 ID, 25 ft lg, 33-H-452														
	(80244)														
3433-00-356-8571	HOSE ASSEMBLY, RUBBER: braided, red w/rh thd, female connections each end,	1													
	attached by br ferrules 9-1/6-18NG-3, 5/16 ID, 25 ft lg, 33-H-402 (80244)														
5120-00-223-7398	PLIERS: slip joint, str nose, comb w/cutter 10 in lg phos fin type II	1													
	GGG-P-471 (81848)														
6680-00-285-6067	REGULATOR: pressure, compressed gas, acetylene, 2-stage, w/coupling,	1													
	adapter, and outlet ZZ-8-461 (81348)														
6680-00-641-3519	REGULATOR: pressure, compressed gas, oxygen: 2-stage w/coupling adapter and	1													
	outlet MIL-R-13877 (81349)														
5120-00-234-8912	SCREWDRIVER: cross tip, Phillips, plastic hdl, pt no. 10 1/8 in lg	1													
	MS15220-5 (96906)														
5120-00-227-7338	SCREWDRIVER: flat tip, hvy duty flared sides, steel hdl, w/wood in-	1													
	serts 9 1/2 in lg MS15220-5 (96906)														
5120-00-222-8852	SCREWDRIVER: flat tip, flared sides, plastic hdl, rd blade, 7 3/4 in lg	1													
	MS15219-1 (96906)														
3433-00-294-6543	TORCH SET, CUTTING AND WELDING: oxy-acetylene, med duty, w/tools, cutting	1													
	attachments and tips (Victor Equip-ment Co.)														

T - Total allowance for Hand Receipt. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipt. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 4
NO. OF PAGES 6

Continuation Sheet for DA Form 2062

STOCK NO	ITEM DESCRIPTION (AAL)	T (a)	C (c)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
	COMPOSED OF:														
	CUTTING ATTACHMENT: welding torch, angel of hd-90 deg, w/universal mixer	1													
	(18075-6652391)														
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-68/73 (18075-1C)	1													
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-64-68 (18075-2C	1													
	1 TIP, OXYGEN ACETYLENE, CUTTING: drill size-60/64 (18075-3C)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-65-70 (18075-2E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-60-65 (18075-3E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-52/58 (DOC-5E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-45/50 (18075-7E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-40/45 (18075-8E)	1													
	1 TIP, OXYGEN ACETYLENE, WELDING: drill size-34/40 (18075-10E)	1													
	1 TORCH HANDLE, WELDING: w/universal mixer (18075-6650841)	1													
	1 TORCH WRENCH, WELDING: 6-way, opng-1/2-3/4-7/8-7/16-11/16 and 11/8	1													
	(18075-970)														
5120-00-264-3796	WRENCH: open, adjustable MS15461-5 (96906)	1													
5120-00-708-3302	WRENCH: plug, straight bar, internal, 1/2 in across flat 7083302 (23862)	1													
5120-00-316-9217	WRENCH: wheel stud nut, str dbl socket, 1 1/2 in hex opng, 13/16 sq opng	1													
	41-W-3839-40														

T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
C - Current operating allowance for Hand Receipts. (c) Total authorized for Hand Receipt Annexes.

PAGE NO. 5
NO. OF PAGES 6

Current as of 30 November 1977.

Continuation Sheet for DA Form 2062

STOCK NO.	ITEM DESCRIPTION (AAL)	T' (a)	C' (t)	BALANCE 1	2	3	4	5	6	7	8	9	10	11	12
5120-00-650-7829	WRENCH: socket, 90° offset, 1/2 in sq opng 8330406 (19207)	1													

'T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.
'C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.

PAGE NO. 6
NO. OF PAGES 6

By Order of the Secretary of the Army:

BERNARD W. ROGERS
General, United States Amy
Chief of Staff

Official:

J. C. PENNINGTON
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-38, operator maintenance requirements for 5-ton truck, chassis: 5-ton, 6 x 6, M809 and A1; M810; M811, A1 and A2; M812 and A1; cargo: M813; M814; cargo drop-side, M813A1; bolster: M815; wrecker: medium, M816; dump: M817; tractor: M818; tractor wrecker: M819; van: expansible, M820, A1 and A2; stake: bridge transporting, M821.

* U.S. GOVERNMENT PRINTING OFFICE : 1992 0 - 311-831(61137)

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

Your Mailing Address

DATE Date You Fill Out This Form

PUBLICATION NUMBER	DATE	TITLE
TM X-XXXX-XXX-10-HR	Date of TM	Hand Receipt Manual for (Item)

BE EXACT...PIN-POINT WHERE IT IS | IN THIS SPACE TELL WHAT IS WRONG

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.	
HR for BII 1 of 2	line 4			Qty for Hose, NSN 3920-00-637-2953, should be "2," not "1"
HR for AAL 1 of 1	line 6			Usable-on code for Rope, P/N 372631, should not be 307; the M50 does not have this rope.

SAMPLE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER: Chris Q. Doe, Pfc., AV XXX-XXXX

SIGN HERE: Pfc. Chris Q. Doe

DA FORM 1 APR 78 2028-2

REPLACES DA FORM 2028-2 (TEST), 1 AUG 74, WHICH WILL BE USED UNTIL EXHAUSTED.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIND," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

CUT ALONG DOTTED LINE

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CUT IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER	DATE
TM 9-2320-260-10-HR	31 Jan 79

BE EXACT...PIN-POINT WHERE IT IS

PAGE NO.	PARAGRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

CUT ALONG DOTTED LINE

DA FORM 1 AUG 74 2028-2

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FINDS," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

Commander
US Army Tank-Automotive Materiel
Readiness Command
ATTN: DRSTA-MBA
Warren, MI 48090

CUT ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2028-2

PIN : 037967-000

This fine document...

Was brought to you by me:



Liberated Manuals -- free army and government manuals

Why do I do it? I am tired of sleazy CD-ROM sellers, who take publicly available information, slap “watermarks” and other junk on it, and sell it. Those masters of search engine manipulation make sure that their sites that sell free information, come up first in search engines. They did not create it... They did not even scan it... Why should they get your money? Why are not letting you give those free manuals to your friends?

I am setting this document FREE. This document was made by the US Government and is NOT protected by Copyright. Feel free to share, republish, sell and so on.

I am not asking you for donations, fees or handouts. If you can, please provide a link to liberatedmanuals.com, so that free manuals come up first in search engines:

<A HREF=http://www.liberatedmanuals.com/>Free Military and Government Manuals</A>

- Sincerely
  Igor Chudov
  http://igor.chudov.com/
- Chicago Machinery Movers